BUYERS ORDER



2702 Palmyra Rd. / Albany, GA 31707

DATE	06/29/18
CUSTOMER NO.	
PURCHASER	COOK COUNTY BOARD OF COMMISSIONERS
COUNTY	COOK
ADDRESS	1200 SOUTH HUTCHINSON AVE.
CITY/STATE/ZIP	ADEL, GA 31620
TELEPHONE	
NEW OR HOER	

STOCK NO.	YEAR	MAKE	MODEL	SERIAL NO.	AMOUNT OF SALE
147988	2017	KENWORTH	T800	1NKDLP0X4HJ147988	125,890.00
					-,
				TOTAL	+ -,
SPECIAL CONE	DITIONS:			IRP / STATE TAX	
				FEDERAL TAX	*
				EXTENDED WARRANTY	+ - ,
				DOC FEE	\$250.00
				TOTAL	\$132,140.00
Total Trucks:				LESS TRADE IN	\$0.00
TERMS:				ADD PAY OFF	\$0.00
				DOWN PAYMENT	\$0.00
TAX RATE				BALANCE DUE	\$132,140.00
TRADE-IN DES	CRIPTION	YEAR	MAKE	MODEL	SERIAL NUMBER
PAY OFF DUE	TO	PHONE	AMOUNT	QUOTE BY	GOOD TILL
na	. •		\$0.00		

ervice itemized in

S AGENTS IE FACE VEHICLE OR CHASSIS SHALL APPLY AND THE SAME IS HEREBY DELIVERED TO PURCHASER WITH SUCH VEHICLE OR CHASSIS SHALL APPLY AND THE SAME IS HEREBY MADE A PART HEREOF AS FULLY AS THOUGH SET OUT HEREIN. THE NEW VEHICLE WARRANTY IS THE ONLY WARRANTY APPLICABLE TO SUCH VEHICLE OR CHASSIS, AND IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING AND IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE."

"ALL USED TRUCKS ARE SOLD AS IS WITH NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND OR DESCRIPTION, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, UNLESS STATED IN WRITING ON THE FACE HEREOF. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. IN THE CASE OF A USED VEHICLE WITH AN UNEXPIRED PORTION OF A MANUFACTURER'S WARRANTY THEREON, SAID WARRANTY SHALL BE DETERMINED SOLELY BY THE TERMS OF SAID EXPRESS WARRANTY." SIGNED

I understand and agree that this instrument comprises the entire agreement pertaining to this purchase and no other agreement, verbal or otherwise, is understood by me or shall be recognized. In the event this order is cancelled, TransPower, Inc. resumes the right to retain all deposits sufficient to cover liquidation damages. This order is not valid unless signed and accepted by an official of TransPower, Inc., and approved by a reasonable bank or finance company as to deferred balance. I certify that I am eighteen, and I have read this entire agreement and by affixing my signature hereto fully understand and agree to the terms and conditions set forth herein. IN THE EVENT OF AN INCREASE IN PRICE BY MANUFACTURER BEFORE DELIVERY I AGREE TO PAY THE DIFFERENCE IN PRICE.

PURCHASER'S SIGNATURE		DATE	
SALESMAN	HARRELL	DATE_	6/29/2018
ACCEPTED TRANSPOWER, INC. BY		DATE_	

BUYERS ORDER



2702 Palmyra Rd. / Albany, GA 31707

DATE	06/29/18
CUSTOMER NO.	
PURCHASER	COOK COUNTY BOARD OF COMMISSIONERS
COUNTY	COOK
ADDRESS	1200 SOUTH HUTCHINSON AVE.
CITY/STATE/ZIP	ADEL, GA 31620
TELEPHONE	
NEW OD LISED	

PO Box 3890 / Alba	any, GA 31706		ADDRES	SS 1200 SOUTH HUTCHINSON A	AVE.	
121 Bowens Mill Rd., S.E. / Douglas, GA 31533 CITY/STATE/ZIP		IP ADEL, GA 31620				
			TELEPHON	NE		
			NEW OR USE	ED		
STOCK NO.	YEAR	MAKE	MODEL	SERIAL NO.	AMOUNT OF SALE	
35819	2017	MACK	GU713	1M2AX04C0HM035819	140,000.00	
				TOTAL	\$140,000.00	
SPECIAL CON	DITIONS:			IRP / STATE TAX		
2. 20 30				FEDERAL TAX	1	
				EXTENDED WARRANTY	<u> </u>	
				DOC FEE	\$0.00	
				TOTAL	\$140,000.00	
Total Trucks:				LESS TRADE IN	\$0.00	
TERMS:				ADD PAY OFF	\$0.00	
				DOWN PAYMENT	T	
TAX RATE				BALANCE DUE		
TRADE-IN DES	CRIPTION	YEAR	MAKE	MODEL	SERIAL NUMBER	
PAY OFF DUE	TO	PHONE	AMOUNT	QUOTE BY	GOOD TILL	
na	10	THONE	\$0.00	QOOTEBT	GOOD TILL	
ıια			ψ0.00			
I hereby request,	direct and au	uthorize you to bill and	deliver to me the above des	scribed motor vehicle as equipped an	nd serviced including all equipment, options, and serv	vice itemized
detail hereon.						
					MPLIED, ARE MADE BY TRANSPOWER, INC. ITS H EXTEND BEYOND THE DESCRIPTION ON THE	
	,		,		WARRANTY DELIVERED TO PURCHASER WITH	
			,		VEHICLE OR CHASSIS SHALL APPLY AND THE S	
				_	IS THE ONLY WARRANTY APPLICABLE TO SUCI	_
OR CHASSIS, AN			L OTHER WARRANTIES,	EXPRESS OR IMPLIED, INCLUDING	AND IMPLIED WARRANTY OF MERCHANTABILI	TY OR
			EXPRESS OR IMPLIED W	ARRANTY OF ANY KIND OR DESC	RIPTION, INCLUDING ANY IMPLIED WARRANTY	OF
					CE HEREOF. THERE ARE NO WARRANTIES WHI	
					JNEXPIRED PORTION OF A MANUFACTURER'S	
WARRANTY THE	ERÉON, SAII	D WARRANTY SHALL	BE DETERMINED SOLEL	Y BY THE TERMS OF SAID EXPRE	SS WARRANTY." SIGNED	
Lunde	rstand and a	aree that this instrume	nt comprises the entire agre	eement pertaining to this purchase ar	nd no other agreement, verbal or otherwise, is under	stood by me
					enosits sufficient to cover liquidation damages	

shall be recognized. In the event this order is cancelled, TransPower, Inc., resumes the right to retain all deposits sufficient to cover liquidation damages.

This order is not valid unless signed and accepted by an official of TransPower, Inc., and approved by a reasonable bank or finance company as to deferred balance.

I certify that I am eighteen, and I have read this entire agreement and by affixing my signature hereto fully understand and agree to the terms and conditions set forth herein.

IN THE EVENT OF AN INCREASE IN PRICE BY MANUFACTURER BEFORE DELIVERY I AGREE TO PAY THE DIFFERENCE IN PRICE.

PURCHASER'S SIGNATURE		DATE	
SALESMAN	HARRELL	DATE	6/29/2018
ACCEPTED TRANSPOWER, INC. BY		DATE	



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

CAB INTERIOR

Code	Description	Family
4CAAKX	NUMBER OF OPTIONAL SWITCHES, 11	NUMBER OF OPTIONAL SWITCHES
CAB INTERIOR: 1 items		

BASE MODEL

Code	Description	Family
78XC1X	LOAD HANDLING HAS A BIG IMPACT ON THE DIMENSIONING OF TRUCK	TRANSPORT CYCLE
ZXA1X	1 FRONT AXLE, 0 DRIVEN	FRONT AXLE ARRANGEMENT
6XDZX	ENGLISH DECALS/SIGNS	LANGUAGES ON DECALS/SIGNS
8XAEX	AMERICAN ENGLISH	FIRST PUBLICATION LANGUAGE
9XE1X	CERTIFICATION LABELS, USA	CERTFICATIO N LABELS
050011	ALL 50 STATES	INITIAL REGISTRATION LOCATION
060002	6X4	NUMBER OF AXLES
1AACX	BRAND MACK	BRAND
211802	GU7	MODEL SERIES
290031	GRANITE AXLE FORWARD, CONVENTIONAL SERIES (GU7)	MODEL INDENT CONDENSED
340001	ENGLISH	LANGUAGE
740001	AXLE FORWARD	FRONT AXLE POSITION
YAAAX	USA STATE REGULATIONS, EXCL HAWAII & CALIFORNIA	USA STATE REGULATIONS
010002	TRUCK	VEHICLE TYPE
021415	GU713 R MACKTRAQ 2017A	CHASSIS (BASE MODEL)
050001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
061790	DUMP	VEHICLE USE AND BODY/TRAILER TYPE
070001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
120000	NO SALES PROGRAM AVAILABLE	VEHICLE USE AND BODT/TRAILER TIPE
		TWO OF CEDWICE
130001	COMMERCIAL	TYPE OF SERVICE
C10028	Product Class 28	PRO DUCT CLASS
K70060	STANDARD 6; HHS EMISSIONS, LH BAT BOX, STD AIR, DUAL FUEL TA	CHASSIS PACKAGING SOLUTIONS
Т10007	CML 64R - GRANITE TRUCK	PRO DUCT TYPE
CXA1X	GRADES <3% DURING >98% OF DRIVING DIST. MAX GRADE 8%	TOPOGRAPHY
S00010	MBOC BACK OFFICE PROCESS (PROBUILDER)	BACK OFFICE CONFIG
RS0000	NOTIN PROGRAM	GRANITE RAPID SPEC
129748	GU713	MODEL SALES CODE
1440020	VERY BADLY MAINTAINED ROADS OR OFF-ROAD <5% OF DRIVING DIST	ROAD CONDITION
B1017A	2008-10-07	PRICE LEVEL
8XB2X	NO RTH AMERICA NA-PROD	MARKET + AREA
9X93X	FACTORY MACUNGIE	FINAL ASSEMBLY PLANT
PXGWX	UNITED STATES OF AMERICA	MARKET IN MAR
192017	2017 MODEL YEAR	VEHICLE MODEL YEAR
AX28X	MACK CONVENTIONAL PRODUCTS	PRO DUCT CLASS
BXLNX	MACK CONVENTIONAL, MEDIUM X, LOW HIGH CAB POS, 6*4 RIGID	PRO DUCT TYPE
PC0003	CONSTRUCTION LOAD HANDLING IMPACT	APC APP TRANSPORT CYCLE
PP0003	CLASS C ON/OFF HIGHWAY	VEHICLE APPLICATION CLASS
AR0090	90000 LB (41000 KG) GCW/GVW	CARRIER APPLICATION
DX23X	CONSTRUCTION HOODLENGTH	CONVENTIONAL TYPE
IR0003	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOW	IDLE EMISSION CERTIFICATION
AX15X	6 WHEELS THEREOF 4 DRIVING	AXLE ARRANGEMENT
DX15X	TRUCK TYPE (PLATFORM, TIPPER ETC.)	CHASSIS TYPE
HX20X	BADLY MAINTAINED ROADS OR OFF-ROAD <5% OF DRIVING DISTANCE	ROAD CONDITION
KX99X	TRUCK ONLY - NO TRAILER TOWING PROVISIONS PROVIDED	GROSS COMBINATION WEIGHT
LW0001	"PASS-THROUGH/QUICK DELIVERY SPEC"	DELIVERY TIME
MI1415	GU713 R MACKTRAQ 2017A	BVS PACKAGE LL CODE
AP2380	FRONT AXLE POSITION, 2380MM	FRONT AXLE POSITION
472360 4X20X	STEERING WHEEL POS. LEFT HAND SIDE	STEERING WHEEL POS.
DXD1X	2 REAR AXLES, 2 DRIVEN	REAR AXLE ARRANGEMENT
IL0000	Information is not required	FILE STATUS
YX10X	FRONT AXLE POSITION, 2380MM	FRONT AXLE POSITION
450310	BRAKE REGULATION, STOPPING DISTANCE 94M (310FT)	BRAKE - STO PPING DISTANCE

MODEL PACKAGE

Code	Description	Family
8680000	MECHANICAL TRANSMISSION	AUTOMATIC TRANSMISSION
FBXA1X	DIESEL	FUEL TYPE, LIQUID
3TAF1X	405HP	ENGINE POWER
5037000	MACK MP7 SERIES	ENGINES-GENERAL DESCRIPT
5121000	MACK	TRANSMISSION VENDOR
5500004	MACK M-DRIVE SERIES	TRANSMISSION SERIES
5791494	14.94/1.00	TRANS RATIOS LOW/HIGH
08AA1X	2.25 DEGREE ENGINE CRANK ANGLE	ENGINE CRANK ANGLE
1001646	MP7-405M MACK 405 @ 1500-1900 RPM (PEAK) 2100 RPM (GOVERNED)	ENGINE
1335201	ZF/SACHS SINGLE PLATE 17" (430MM) ORGANIC MATERIAL	CLUTCH
1361444	HEAVY DUTY TMD12AD-HD MDRIVE 12 SP-MACK - PREMIUM (DIRECT DR	TRANSMISSION
QWXA1X	TURBO BASIC DESIGN	TURBO
RAXA2X	1 (SINGLE) PLATE 17" (430MM), ORGANIC, B VERSION	CLUTCH TYPE



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

RDXD1X	SACHS CLUTCH	CLUTCH MANUFACTURER
REXC1X	CRANK CASE VENTILATION OPEN EXTENDED	CRANK CASE VENTILATION
RTX05X	MECHANICAL TRANSMISSION	TRANSMISSION TYPE
RUXF1X	AUTOMATED GEAR SHIFTING	GEAR SHIFTING SYSTEM
RVXG1X	GEAR SHIFTING, BASIC	GEAR SHIFT LEVER
RWXEDX	VPT AUTOMATED TRANSMISSION 2600NM 12SPEED	TRANSMISSION
RXXA1X	VPT TRANSMISSION	TRANSM. MANUFACTURER
H1BAAX	TURBO SINGLE STAGE	TURBO FAMILY FOR 2017
HEX05X	MACK ENGINE	ENGINE MANUFACTURER
HFXRAX	2100 RPM ,GOVERNED ENGINE RPM	GOVERNED ENGINE RPM
HHXR2X	1981 NM - 2040 NM, ENGINE TORQUE RANGES	ENGINE TORQUE RANGES
KTXVHX	USA 2014 ENGINE EMISSION	ENGINE EMISSION CONTROL
MAL0001	TURBO SINGLE STAGE	TURBO TYPE
N8CC1X	LIQUID FUEL	ENGINE FUEL CONCEPT
O8AE1X	ENGINE PTO TORQUE CAPACITY 1000 NM	ENGINE PTO TORQUE CAPACITY
B960014	EPA-2014 DIESEL ENGINE W/CEGR/DPF/SCR	ENGINE EMISSIONS LEVEL
CJXAAX	EXHAUST GAS RECIRCULATION, COOLED	EXHAUST GAS RECIRCULATION
DPXN2X	11 L. ENGINE	ENGINE TYPE
8711006	AUTOMATIC GEAR SHIFTING	TRANS. TOP GEAR RATIO
MODEL PACKAGE: 32 items		

ENGINE EQUIPMENT

Code	Description	Family
64AA1X	ALTERNATOR MANUFACTURER-DELCO	ALTERNATOR MANUFACTURER
C4XB1X	ANTI-FREEZE MANU FACTURER GENERIC	COOLANT MANUFACTURER
40AD1X	COOLING HOSES CLAMP, BREEZE CONSTANT TORQUE, SPRING LOAD TYPE	COOLING HOSES CLAMP OPTIONS
5081005	NARROW RADIATOR WITH LENGTH 3 (80 DM2), 41 DEG C ATB, COOLIN	COOLING PERFORMANCE
1UAABX	AIR CLEANER HOUSING MATERIAL, PLASTIC	AJR CLEANER HOUSING MATERIAL
1VAAAX	AIR INTAKE SOURCE, HOOD OUTSIDE	AIR INTAKE SOURCE
2930001	MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER)	FUEL-WATER SEPARATOR
1100700	MACK ENGINE BRAKE POWER LEASH FOR MP7	ENGINE BRAKE
1134100	MERITOR/WABCO 318 (18.7 CFM)	AIR COMPRESSOR
1180026	BEHR FAN & ELECTRONIC MODULATING VISCOUS FAN DRIVE	FAN DRIVE
1190004	TO -34 DEG F	COOLANT PROTECTION
1210001	RADIATOR MOUNTED (CHU#11-01-87B)	BUG SCREEN
1230011	FURN. MACK COOLANT CONDITIONER CANISTER (W/FULLY FORMULATED	COOLANT CONDITIONER
1249031	MACK EPDM RADIATOR & HEATER HOSES, W/BREEZE CONSTANT TORQUE	HOSES - RADIATOR/HEATER
1250101	11" SINGLE ELEMENT DO NALDSON	AIR CLEANER
1311215	12 VOLT DELCO MTHD39	STARTER
1321228	12V130A DELCO 24SI (130 AMP)	ALTERNATOR
1400002	ALUMINUM (LIGHTWEIGHT)	FLYWHEEL HOUSING
PJXMFX	12V 130AMP BRUSHED	ALTERNATOR CAPACITY
QHXC1X	OIL PAN STEEL	OILSUMP
R5DA1X	RADIATOR APPLICATION, BASIC	RADIATOR APPLICATION
VWXAZX	1 CYL. 530 L/MIN. COMPRESSOR	COMPRESSOR CAPACITY
H6XA1X	WITH RADIATOR SCREEN, BEHIND THE GRILLE	RADIATOR SCREEN
H9XK1X	NARROW RADIATOR WITH LENGTH 3 (80 DM2)	RADIATOR TYPE
HLX05X	RUBBER CO OLANT HO SE	COO LANT HOSE
HTXK1X	COMPRESSION+EXHAUST BRAKE, VARIABLE GEOMETRI TURBO (W/O EPG)	ENGINE BRAKE TYPE
HWXA1X	WITH FILTER/CONDITIONER	COOLANT FILTER / CONDITIONER
J3XA3X	2 STEP DUAL ENGINE MOUNTED FUEL FILT.W.WATER SEPARATOR	FUEL FILTER SECONDARY
JAXA2X	41 DEG. C ATB COOLING CAPACITY	COOLING CAPACITY
JSXA3X	VISCOUS FAN CLUTCH, ELECTRIC CONTROLLED	FAN CLUTCH TYPE
JTXAAX	BEHR FAN CLUTCH	FAN CLUTCH MANUFACTURER
JVXBAX	FUEL FILTER, WATER SEPARATOR, GENERIC	PRIMARY FUEL FILTER
K9XADX	ANTI-FREEZE -37C (-34F) BASIC LIFE COOLANT	COOLANT
KWXA1X	ONE STAGE AIR CLEANER (PRIMARY)	AIR CLEANER TYPE
KXXA1X	SMALL AIR CLEANER	AIR CLEANER SIZE
L8XJAX	3 BATTERIES, 650 CCA	BATTERY CAPACITY
L9XA1X	GENERIC BATTERY	BATTERY MANUFACTURER
MBXA1X	STANDARD FUEL FILTER POSITION	PRIMARY FUEL FILTER POSITION
NCXA5X	12V STANDARD STARTER DELCO 39MTHD	STARTER
9DCC1X	COOLANT PUMP SPEED RATIO, FIXED	COO LANT PUMP SPEED RATIO
3165105	3-12V MACK M/F 31 650 CCA THREADED STUD TYPE	BATTERIES

EXHAUST/EMISSIONS

Code	Description	Family
4RAA2X	SCR SYSTEM EQUIPMENT, ELECTRICALLY HEATED	SCR SYSTEM EQUIPMENT
EAS0102	AFTER TREATMENT SYSTEM DIESEL PARTIC FILTER CERAMIC PASSIVE	EAS EXH AFTER-TREATMENT SYS
1420000	OMIT RAIN CAP	EXHAUST RAIN CAP
1LAA1X	SELECTIVE CATALYST REDUCTION, HORIZONTAL	SCR ORIENTATION
0100002	SINGLE- HEAT SHIELD(S) & STACK	EXHAUST - BRIGHT FINISH
ORAD1X	DPF REG CONTROL, AUTO IN MOTION, MAN STAT, INHIBIT ALLOWED	REGENERATION CONTROLS, DPF
1305001	NO MUFFLER, SINGLE (R/S) VERTICAL STRAIGHT EXH STACK TURNED	EXHAUST
Q0AC1X	BRIGHT SINGLE EXHAUST SYSTEM MATERIAL FINISING EXCEPT ELBOW	EXHAUST SYSTEM MATERIAL FINISH

EXHAUST HEAT SHIELD TYPE



5BAAAX

EXHAUST/EMISSIONS: 17 items

Year Model: 2017 GU713 VIN: 1M2 AX04C9HM035818 Order Number: 053781 Build Date: 07/14/2016

In Service Date: 11/15/2016

T5AA1X DIESEL PARTICULATE FILTER, RH SIDE UNDER CAB DPF ORIENTATION K0XD1X TURNED OUT EXTENSION EXHAUST STACK FEATURES KLXD1X EXHAUST DIRECTION, VERTICAL RIGHT EXHAUST DIRECTION KRXB5X EXHAUST STACK 3.55 METRE, HEIGHT OVER GROUND (11'6") EXHAUST STACK HEIGHT KSXC5X SELECTIVE CATALYST REDUCTION + DIESEL PART. FILTER CERAMIC EXHAUST AFTERTREATMENT SYSTEM 8NAA1X DPF COVER, PAINTED STEEL DPF COVER B600004 FURNISH STEEL PAINTED PREF. HEAT SHIELD FOR FRAME MTD MACK C EXHAUST - PIPE SHIELD DPF0103 CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE-DPF DIESEL PARTICULATE FILTER

TRANSMISSION EQUIPMENT

EXHAUST HEAT SHIELD TYPE, BASIC

Code	Description	Family
7RXD1X	SYNTHETIC OIL IN TRANSMISSION, 75W-90	LUBRICANTS, TRANSMISSION
D4AA1X	AMT PTO FUNCTIONS BASIC	AMT/AUTOMATIC TRANS PTO FUNCT.
5XXB1X	DOUBLE PTO TRANSMISSION	PTO TRANSMISSION MOUNTED ADM.
76AA1X	PROPELLER SHAFT MAIN, UNIVERSAL JOINT HALF-ROUND TYPE	PRO PELLR SHAFT MAIN, UNVSL JNT
77AA1X	PROP SHAFT DIMENSION, INTERAXLE, SMALL	PRO P SHAFT DIMENSION INTERAXLE
1920002	TRANSMISSION BELLHOUSING, ALUMINUM	TRANSMISSION BELL HOUSING
1952202	DANA/SPICER SPL250XL EXTENDED LUBE SERIES	DRIVELINE - MAIN
2042201	DANA-SPICER SPL170XL EXTENDED LUBE SERIES	DRIVELINE - INTERAXLE
1390026	OIL COOLER - M-DRIVE GEAR BOX MTD. LH SIDE WATER TO OIL COOL	TRANSMISSION OIL COOLER
QPXABX	TRANSMISSION APPLICATION, HEAVY DUTY	TRANSMISSION APPLICATION
RCXB1X	ALUMINUM BELL HOUSING	BELL HOUSING
SL40002	75W-90 SYNTHETIC LUBRICANT, MACK TRANS ONLY	SYNTHETIC LUBRICANT - TRANSMISSION
T2XB1X	MEC.TRAN. OIL COOL, WAT./OIL, HIGH PERF. VERS 2, GEARB.MOUNT	TRANSMISSION/RETARDER COOLER
T4XJ1X	REAR PTO TRANS., DOUBLE, 1 DIN-CONN.PUMP + 2 FLANGES	PTO TRANSM. MOUNTED
THXC2X	PROP.SHAFT MANUF. BY SPICER WITH XL U-JOINTS	PRO PELLER SHAFT MANUFACTURER
IPJ0001	INTERAXLE PROP SHAFT HALF-ROUND UNIVERSL JOINT	INTERAXLE PRODSHAFT U-JOINT
K1DF1X	TRANSM OIL PROPERTIES 4 STD 1273,15	TRANSMISSION OIL PROPERTIES
M050015	MACK mDRIVE- ENHANCED PERFORMANCE MODE- MANUAL (premium)	TRANS SHIFT MODE POINTS
M090001	GRADE GRIPPER	TRANS - HILL START ASSIST
M100001	MACK CELLERATO R ENABLE	TRANS - KICKDOWN FEATURE
M200003	KEYPAD REMOTE CONTROLLED	TRANS PTO 2SPLIT GEAR RNG
N1CC1X	DRIVELINE TECHNOLOGY, COMBUSTION	DRIVELINE TECHNOLOGY
8WAAAX	PROP SHAFT INTERAXLE, UNIV JOINT HALF-ROUND TYPE	PRO P SHAFT INTERAXL UNIV JOINT
9040001	HALF-ROUND	DRIVESHAFT UNIVERSL JOINT
3IAA1X	HILL START ASSIST	HILL START ASSIST

TRANSMISSION EQUIPMENT: 25 items

FRONT AXLE/TIRES

Code	Description	Family
OBB1X	BRAKE REGULATION, STOPPING DISTANCE 94M (310 FT)	BRAKE REGULATION
VXA1X	PETROLEUM OIL IN FRONT AXLE	LUBRICANTS, FRONT AXLE
OAA1X	WHEEL NUT & FINISH BASIC, FRONT	WHEEL NUT FINISH, FRONT
530024	TYPE 24 3.0" STROKE	FRONT BRAKE CHAMBER SIZE
8850000	STANDARD F.A. SPINDLE NUTS	FRONT AXLE SPINDLE NUT
50AL1X	4535KG (10000LB) WHEEL LOAD MAX, FRONT PER WHEEL	WHEEL LOAD MAX, FRONT
5370001	FURNISH DUST SHIELDS	DUST SHIELDS - FRONT BRAKE
3490003	MGM	FRT. BRAKE CHAMBER VENDOR
3760013	ALCOA ALL WHEELS FINISH, MACHINED CLEAN BUFF	WHEELS - POLISHED (FRONT)
820008	UNITIZED HUBCAP, FRONT	FRONT AXLE HUB CAPS
8850001	DOUBLE ACTING TYPE FRONT SHOCK ABSORBERS	SHOCK ABSORBERS - FRONT
750000	PROVIDE STANDARD VALVE STEMS AND CAPS	VALVE STEMS & CAPS
860007	BENDIX EES-600 BRAKE LINING	FRONT BRAKE LINING
19AALX	WHEEL FINISHING FRONT, MACHINED BUFF	WHEEL FINISHING, FRONT
10 AB9X	BASIC, 10 HAND HOLES WHEEL STYLE, FRONT	WHEEL STYLE, FRONT
QAD9X	WHEEL RIM OFFSET, FRONT 6.94 INCHES	WHEEL RIM OFFSET, FRONT
5100001	CAM	FRONT BRAKE TYPE
313789	22.5 X 9.00 ALCOA ALUM DISC ULTRA ONE 10-HP; 11.25" BC, 5.96	WHEELS - FRONT
361800	18000 LB. 8200 KG.	FRONT AXLE RATING
L5XABX	TIRE INFLATION VALVE, STANDARD	TIRE INFLATION VALVE
BXBDX	FAG SCHAEFFLER, FRO NT HUB OIL SEAL	HUB OIL SEAL, FRONT
NIXMIX	TIRE 315/80 ,FRO NT AXLE	TIRE DIMENSION FRONT
KAA1X	WITH SHOCK ABSORBER, FRONT	SHOCK ABSORBER, FRONT
KXL1X	LOAD RANGE L, FRONT TIRE	TIRE LOAD CAPACITY, FRONT
TXA1X	BRIDGESTONE, FRONT TIRE	TIRE MAKE FRONT
401500	FXL18 18000 LB-MACK (HIGH OFFSET) 8200KG	FRONT AXLE
2414204	BENDIX ES-165-06D 16.5 X 6 CAST SPIDER	BRAKES - FRONT
2420002	HALDEX - AUTOMATIC	SLACK ADJUSTERS - FRONT
2441004	18,000 LB TAPERLEAF 8200 KG	SPRINGS - FRONT
452213	SD110 SHEPPARD	STEERING
463000	FAG SCHAEFFLER, FRO NT HUB OIL SEAL	OIL SEALS - FRONT
2472200	DISC WHEEL-OUTBOARD CAST DRUM	BRAKE DRUMS - FRONT
2481000	FERROUS	HUBS - FRONT
2503000	ALUMINUM (DISC) FRONT WHEEL MATERIAL	FRONT WHEEL TYPE



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

X8AB1X	FRONT WHEEL BRAKE MANUFACTURER, EATON		WHEEL BRAKE MANUFACTURE, FRONT
XAXA1X	STEERING GEAR RATIO 16.9		STEERING GEAR RATIO
YFXA1X	PARABOLIC SPRING (NORMAL STIFFNESS) FRONT		FRONT SPRING TYPE
YKXA1X	LEAF (MECHANICAL) SUSPENSION , FRONT		FRONT SUSPENSION SYSTEM
ZGXC1X	BASIC HUBCAP, FRONT		FRONT HUBCAP TYPE
01XC1X	DIAM 22.5 INCH, FRONT WHEEL & TIRE		WHEEL & TIRE DIAMETER FRONT
04XC1X	FRONT WHEEL, ALCOA		WHEEL BRAND, FRONT
0AXB1X	DISC WHEEL PCD 286 MM HUB PILOT		WHEEL TYPE FRONT
OG XB1X	ALUMINUM WHEEL ,FRONT		WHEEL MATERIAL FRONT
OKXA1X	BASIC MATERIAL HUB (STEEL/CAST IRON) ,FRONT		HUB MATERIAL, FRONT
0PXG1X	WHEEL WIDTH 9.00 INCH		WHEEL DIMENSION FRONT
SL60000	FACTORY OPTION LUBE-FRONT WHEEL BEARINGS		SYNTHETIC LUBRICANT - WHL BEARINGS
U OAA 1X	FRONT BRAKE ADJUSTMENT, AUTOMATIC HALDEX		FRONT BRAKE ADJ. MANUFACTURE
U3XA1X	FRONT BRAKE, CASTIRON BRAKEDRUM,		BRAKE, FRONT
U 5XB1X	BRAKE LINING 150MM, FRONT		BRAKE DIMENSION, FRONT
UDXA1X	FRONT BRAKES WITH DUST SHIELDS		FRONT AXLE BRAKE DUST SHIELD
V4AA1X	FRONT WHEEL BRAKE TYPE, "S" CAM (CAST)		WHEEL BRAKE TYPE, FRONT
V7AD1X	FRONT BRAKE CHAMBER MANUFACTURER, MGM		FRONT BRAKE CHAMBER MFG.
IRXA1X	LUBRICATED SUSPENSION PINS AND BUSHINGS		FRONT SUSP MAINTENANCE
K4AAAX	BASIC (NO OPTION) SPINDLE NUTS, FRONT		SPINDLE NUTS, FRONT
LQXF1X	BRAKE LINING MATERIAL FRONT, EATON EES-600		BRAKE LINING MATERIAL FRONT
N6BE7X	M860A, FRONT TIRE TREAD, BRIDGESTONE, ON/OFF ROAD USAGE		FRONT TIRE TREAD
O5BD1X	FRONT BRAKE CHAMBER 24SQ INCHES (SERVICE)		FRONT BRAKE CHAMBER SIZE
9001359	315/80R22.5 L BRIDGESTONE M860A		TIRES BRAND/TYPE - FRONT
9194850	485		FRONT TIRE REVS PER MILE
9310001	OVERALL WIDTH EXCEEDS 96" OVERALL	, .	OVERALL WIDTH
FTXD1X	LOW GROUND CLEARANCE - HIGH OFFSET	^	GROUND CLEARANCE F.A.
FUXC1X	FRONT AXLE, UNIT BEARING	0.	FRONT AXLE CONCEPT
FVXG1X	8.2 TON NES (18000 LBS), FRO NT AXLE LOAD		FRONT AXLE LOAD
FWXA1X	FRONT AXLE	1/	FRONT AXLE MANUFACTURER
FXXF1X	1 * 8.2 TONNES, FRONT AXLE	0	FRONT AXLE TYPE CAPACITY
FRONT AXLE/TIRES: 65 items		0	

AIR BRAKE

AIR DRAIL		
Code	Description	Family
6980007	BENDIX KB ABS;W/AUTO TRAC CONTROL;W/DASH SW	ANTI-LOCK BRAKE SYSTEM
DVA0001	MANUAL (PETCOCK) DRAINVALVES ON ALL TANKS	DRAIN VALVES
3920001	FOR TRACTOR APPLICATIONS (STANDARD W/TRUCK APPLICATION)	SPRING BRAKE INVERSION VALVE
1JAAAX	PARKING BRAKE VALVE, 1 YELLOW KNOB, ALL PARKING	PARKING BRAKE VALVE
2801000	STEEL	AIR RESERVOIRS
2960003	MERITOR/WABCO 1200P W/ TURBO CUT OFF VALVE & COALESCING OIL	AIR DRYER
3020001	SINGLE VALVE SYSTEM	BRAKE CONTROL VALVE SYSTEM
U2XB1X	STEEL AIRTANK	AIRTANK MATERIAL
UKXA1X	BASIC LENGTH STROKE	BRAKE CYLINDER STROKE LENGTH
URXD1X	BRAKE VALVE VERSION, USA-BENDIX, WHERE POSSIBLE	BRAKE VALVE VERSION
UWXC1X	PETCOCK DRAIN VALVE, ON BRAKE SYS TANKS	AIRTANK DRAIN VALVE
VHXEDX	WABCO AIR DR, 1200UP W/ T CUT OFF VALVE, W COALESC OIL FILTE	AIR DRYER - MANUFACTURER
WPXA1X	WITH TRACTION CONTROL	TRACTIO N CONTROL
W RXA 1X	BENDIX ANTI LOCK BRAKE	ANTI LOCK BRAKE SYS. MFG
KOXA1X	AIR DRYER POSITION STANDARD	AIR DRYER POSITION
8HAA1X	AIRTANK ARRANGEMENT, BASIC	AIRTANK ARRANGEMENT
9790001	FACTORY OPTION WELD ON ABS	WELD ON ABS BLOCK OPTION
3520100	BENDIX VALVES WHERE POSSIBLE	AIR SYSTEM VALVE VENDOR
AIR BRAKE: 18 items		

REAR AXLE/TIRES

Code	Description	Family
ORXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION DRIVE
PSXZ1X	NO HUBODOMETER PROVIDED	ODOMETER
R1XK1X	DOUBLE REDUCTION REAR AXLE, MACK	REAR AXLE TYPE
R2XA9X	TANDEM AXLE 20.0 T, GCW68T, DOUBLE RED, MACK (S440)	REAR AXLE
R3XB1X	WELDED REAR AXLE CASING	REAR AXLE CASING TYPE
R6XA1X	REAR AXLE CASING, STD DUTY	REAR AXLE CASING DUTY RATING
R9XA1X	REAR AXLE DIFF CARRIER HOUSING MATERIAL - IRON	DIFFERENTIAL HOUSING MATERIAL
SL30000	FACTORY OPTION LUBE / TANDEM REAR AXLE	LUBRICANT - TANDEM REAR AXLE
TAXAVX	RATIO 3.79, REAR AXLE	REAR AXLE RATIO
U1AA1X	REAR BRAKE ADJUSTMENT, AUTOMATIC HALDEX	REAR BRAKE ADJ MANUFACTURE
U4XA1X	CAST IRON BRAKE DRUMS	BRAKE, DRIVE, REAR
U8XA1X	BRAKE LINING 175MM, DRIVE	BRAKE DIMENSION, DRIVE
UAXA1X	BRAKE SYSTEM, CONVENTIONAL	BRAKE SYSTEM
U EXA1X	REAR DRIVE BRAKES WITH DUST SHIELDS	DRIVE AXLE BRAKE DUST SHIELD
UGXA1X	AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS	AUX.PARKING BRAKE CHAMBERS
UPXADX	MGM PARK BRAKE CHAMBER TR-T	PARK BRAKE CHAMBER MANUFACTURE
V1AB1X	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE/EMERGENCY)	REAR BRAKE CHAMBER SIZE
V5AA1X	REAR WHEEL BRAKE TYPE, "S" CAM (CAST)	WHEEL BRAKE TYPE, REAR
GWXABX	BOGIE SPREAD, 1270MM (50.0")	BOGIE SPREAD, REAR



H8CB1X

TIRE SPEED LIMIT BASIC

Year Model: 2017 GU713 VIN: 1M2AX04C9HM035818

TIRE SPEED LIMIT REDUCED

Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

H8CB1X	TIRE SPEED LIMIT BASIC	TIRE SPEED LIMIT REDUCED
MAXF1X	BRAKE LINING MATERIAL DRIVE, EATON EES-600	BRAKE LINING MATERIAL DRIVE
N2AE1X	SPINDLE NUTS, MAIN AXLE, INTERGRATED	SPINDLE NUTS, MAIN AXLE
N7BHTX	M726 EL, DRIVE TIRE TREAD, BRIDGESTONE, LONG HAUL	DRIVE TIRE TREAD
O6ABJX	20 TONNES, REAR SUSPENSION CAPACITY	REAR SUSPENSION CAPACITY
9011286	11R22.5 G BRIDGESTONE M726EL (replaced by 9011	TIRES BRAND/TYPE - REAR
9154920	492	REAR TIRE REVS. PER MILE
9760000	NO N-AIR SUSPENSION	REAR SUSPENSION TYPE
9980002	TANDEM	REAR AXLE TYPE
9G AA A X	ABS 4 SENSORS & 4 MODULATORS (FRONT & REAR AXLES)	ABS SENSOR & MODULATOR
F1XJ1X	20 TONNES (44,000 LBS), REAR AXLE LOAD	REAR AXLE LOAD
F2XACX	2 AXLE, 2 DRIVE, MACK SS (SPRING SUSP)	REAR AXLE INSTALLATION
7M XDBX	492.0 REAR TIRE REVS PER MILE	REAR TIRE REVS PER MILE
7WXA1X	PETROLEUM OIL IN REAR AXLE	LUBRICANTS, REAR AXLE
8790005	RSERIES:MACK SB38/S40/S440/ S46L/S46H/S501/S52;VENDOR 21	REAR AXLE WHEEL END TYPE
8824400	44000 LB. 20000 KG.	REAR AXLE RATING
8830002	INTEGRATED TYPE	REAR AXLE SPINDLE NUT
8880001	PDLO	PDLO
6380001	FURNISH DUST SHIELDS	DUST SHIELDS - REAR BRAKE
6GAAEX	DRV AXL SPNDL LOAD RATING R SRIES (23.6T TAND 11.8T SING)	DRIVE AXLE SPINDLE LOAD RATING
	· · · · · · · · · · · · · · · · · · ·	REAR AXLE CASING WIDTH
6MAA1X	REAR AXLE CASING WIDTH, STANDARD	
7170001	ABS 4SENSOR/4MODULATOR SYSTEM REAR WHEEL END SENSORS	ABS SENSOR/CHANNEL OPTION
3290001	TRANSVERSE TORQUE ROD, REAR-REAR AXLE ONLY	TRANSVERSE TORQUE RODS
3462356	22.5 X 8.25 STL DISC 11.25 BC. ACCURIDE ACCU-LITE 10-HOLE HP	WHEELS - REAR
38AJCX	MACK TAND AXL CARRIER, VERS 6, INTER AXL POWER DIV-CRD150/151	REAR AXLE DIFF CARRIER TYPE
3LAC1X	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	DIFFERENTIAL LOCK SWITCH
3PBA1X	WHEEL NUT BASIC FINISH, REAR	WHEEL NUT FINISH, REAR
4020002	FURNISH W/ TANDEM REAR AXLE	SPRINGS - ANTI-SWAY
4790001	30/30 TYPE	SPRING BRAKE CHAMBERS - SIZE
4870009	BENDIX EES-600 BRAKE LINING	REAR BRAKE LINING
4900001	STANDARD FINISH	REAR WHEEL NUTS
4AAA1X	REAR SUSPENSION MANUFACTURER, MACK	REAR SUSPENSION DESIGN
5110001	CAM	REAR BRAKE TYPE
5270006	20000KG(44000LBS)	REAR AXLE CAPACITY
56AD1X	3355 KG (7,400 LB) WHEEL LOAD MAX DRIVE PER WHEEL	WHEEL LOAD MAX DRIVE PER WHEEL
57AD1X	WHEEL RIM OFFSET, DRIVE 6.60 INCHES	WHEEL RIM OFFSET DRIVE
	DACIC E HAND HOLECANDER CTALE DRIVE	WHEEL STYLE, DRIVE
58AC1X	BASIC, 5 HAND HOLES WHEEL STYLE, DRIVE	WHILLE STILL, DRIVE
58AC1X 1861034	SS440 -MACK MULTILEAF	REAR SUSPENSION - TANDEM
1861034	SS440 -MACK MULTILEAF	REAR SUSPENSION - TANDEM
1861034 1CXI2X	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE
1861034	SS440 -MACK MULTILEAF	REAR SUSPENSION - TANDEM
1861034 1CXI2X	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE
1861034 1CXI2X 1NX2RX	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 ,DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF -MACK (SS)	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF -MACK (SS) PREMIUM HUB OIL SEAL, DRIVE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF -MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISC WHEEL OUTBOARD CAST DRUMS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF -MACK (SS) PREMIUM HUB OIL SEAL, DRIVE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200	SS440 -MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF -MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISC WHEEL OUTBOARD CAST DRUMS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2641001 2672000 2681004	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50"	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2641001 2672000 2681004	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50°	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR PO WER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION MEMORY REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTÉGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T: TAMPER-RESISTANT BRAKE CHAMBERS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION MEMORY REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTÉGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T: TAMPER-RESISTANT BRAKE CHAMBERS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16 SX7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISCUMHEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000 KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XZXA1X	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16 SX7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISCOWHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000 KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR BRAKE DRUMS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SUSP. BEAM BUSHINGS
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBAIX 3009005 X7ABIX XYXBIX XZXAIX YJXPRX	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16 SX7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SVEND TYPE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XZXA1X	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16 SX7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL DRIVE DISCOWHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000 KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR BRAKE DRUMS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SUSP. BEAM BUSHINGS
1861034 1CXI2X 1NX2RX 1RXG1X 1UXAIX 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBAIX 3009005 X7ABIX XYXBIX XZXAIX YJXPRX	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16 SX7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SVEND TYPE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XZXA1X YJXPRX YLXA1X 0180153	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MGM MODEL TRT; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SYPENG INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SYPING TYPE REAR SPRING TYPE REAR SPRING TYPE REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XZXA1X YJXPRX YLXA1X 0180153 0284000	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151 VPT HAGERSTOWN - CPO FILE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR BRAKE DRUMS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SYPING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SYPING TYPE REAR SYPING TYPE REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE SUPPLIER - FBO
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XZXA1X YJXPRX YLXA1X 0180153	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MGM MODEL TRT; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SYPENG INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SYPING TYPE REAR SPRING TYPE REAR SPRING TYPE REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XZXA1X YJXPRX YLXA1X 0180153 0284000	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151 VPT HAGERSTOWN - CPO FILE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR BRAKE DRUMS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SYPING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SYPING TYPE REAR SYPING TYPE REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE SUPPLIER - FBO
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXS1X XZXAIX YJXPRX YLXAIX 0180153 0284000 02XC1X	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165 - O7D 16.5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SPRING INSULATOR MAT'L REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SUSP, BEAM BUSHINGS REAR SPRING TYPE REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE SUSPLIER-FBO WHEEL & TIRE DIAMETER DRIVE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XYXB1X XYXB1X XYXPX YLXA1X 0180153 0284000 02XC1X 0380001 0391650	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16, 5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SUSPENSION DEMAND, BASIC MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151 VPT HAGERSTOWN - CPO FILE DIAM 22.5 INCH, DRIVE WHEEL & TIRE REAR AXLE CASING STANDARD DUTY 16.5° DIAMETER	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE CASING DUTY RATNG REAR BRAKE DIAMETER DRIVE RR AXLE CASING DUTY RATNG REAR BRAKE DIAMETER
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XYXB1X XZXA1X YJXPRX YXPRX YJXPRX YJXPRX YJXPRX YXPRX Y	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 1100, DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16-5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000 KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR SUSP TRANSVERSE TORQUE RO DS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CCRD150/151 VPT HAGERSTOWN - CPO FILE DIAM 22.5 INCH, DRIVE WHEEL & TIRE REAR AXLE CASING STANDARD DUTY 16.5° DIAMETER DRIVE WHEEL, ACCURIDE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SUSP. BEAM BUSHINGS REAR SPRING TYPE REAR SYRING TYPE REAR SYRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE CASING DUTY RATING REAR BRAKE DIAMETER DRIVE RR AXLE CASING DUTY RATING REAR BRAKE DIAMETER WHEEL BRAND, DRIVE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XYXB1X XYXB1X XYXPX YLXA1X 0180153 0284000 02XC1X 0380001 0391650	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 11.00 , DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16, 5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SUSPENSION DEMAND, BASIC MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151 VPT HAGERSTOWN - CPO FILE DIAM 22.5 INCH, DRIVE WHEEL & TIRE REAR AXLE CASING STANDARD DUTY 16.5° DIAMETER	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE CASING DUTY RATNG REAR BRAKE DIAMETER DRIVE RR AXLE CASING DUTY RATNG REAR BRAKE DIAMETER
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XYXB1X XZXA1X YJXPRX YXPRX YJXPRX YJXPRX YJXPRX YXPRX Y	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 1100, DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTV, 4 CHAMBERS BENDIX ES165-07D 16-5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000 KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR SUSP TRANSVERSE TORQUE RO DS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CCRD150/151 VPT HAGERSTOWN - CPO FILE DIAM 22.5 INCH, DRIVE WHEEL & TIRE REAR AXLE CASING STANDARD DUTY 16.5° DIAMETER DRIVE WHEEL, ACCURIDE	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HOUSING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SUSP. BEAM BUSHINGS REAR SPRING TYPE REAR SYRING TYPE REAR SYRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE CASING DUTY RATING REAR BRAKE DIAMETER DRIVE RR AXLE CASING DUTY RATING REAR BRAKE DIAMETER WHEEL BRAND, DRIVE
1861034 1CXI2X 1NX2RX 1RXG1X 1UXA1X 2300000 2370002 2534201 2550002 2560003 2570379 2580001 2591030 2620002 2632200 2641001 2672000 2681004 2690050 2700002 2AAAAX 2XBA1X 3009005 X7AB1X XYXB1X XYXB1X XYXB1X XYXB1X 1180153 0284000 02XC1X 0380001 0391650 05XB1X 0960002	SS440 - MACK MULTILEAF PREMIUM HUB OIL SEAL, DRIVE TIRE 1100, DRIVE AXLE LOAD RANGE G, DRIVE TIRE BRIDGESTONE, DRIVE TIRE RUBBER SHOCK INSULATOR AUX SPRING BRAKE QTY, 4 CHAMBERS BENDIX ES165-07D 16-5X7 CAST SPIDER HALDEX - AUTOMATIC IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT 3.79 RATIO MALLEABLE MULTILEAF - MACK (SS) PREMIUM HUB OIL SEAL, DRIVE DISC WHEEL OUTBOARD CAST DRUMS IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT STEEL (DISC) DRIVE WHEEL MATERIAL S440 44000LB-MACK 20000KG 50° BRONZE REAR SPRING INSULATOR, RUBBER REAR SPRING INSULATOR, RUBBER REAR SUSPENSION DEMAND, BASIC MG M MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS REAR WHEEL BRAKE MANUFACTURER, EATON REAR SUSP TRANSVERSE TORQUE RODS, REAR DRIVE AXLE BRONZE BUSHINGS MULTI LEAF SPRING EXTRA STIFF REAR SUSPENSION SYSTEM, LEAF CRDP150/151 VPT HAGERSTOWN - CPO FILE DIAM 22.5 INCH, DRIVE WHEEL & TIRE REAR AXLE CASING STANDARD DUTY 16.5° DIAMETER DRIVE WHEEL, ACCURIDE MACK TANDEM SPRING	REAR SUSPENSION - TANDEM HUB OIL SEAL, DRIVE TIRE DIMENSION DRIVE TIRE DIMENSION DRIVE TIRE LOAD CAPACITY, DRIVE TIRE MAKE DRIVE SHOCK INSULATORS SPRING BRAKE CHAMBERS - QUANTITY BRAKES - REAR SLACK ADJUSTERS - REAR POWER DIVIDER LOCKOUT CARRIER/RATIO - REAR AXLE - RATIO CARRIER/RATIO - REAR AXLE - HO USING TANDEM REAR SUSPENSION OIL SEALS - REAR BRAKE DRUMS - REAR HUBS - REAR REAR WHEEL TYPE REAR AXLE/SUSPENSION - TANDEM TRUNNION BUSHING REAR SUSPENSION DEMAND SPRING BRAKE CHAMBERS - VENDOR WHEEL BRAKE MANUFACTURER, REAR TRANSVERSE TORQUE RODS, R SUSP REAR SUSP. BEAM BUSHINGS REAR SPRING TYPE REAR SYENG TYPE REAR SPRING TYPE REAR SPRING SYSTEM CARRIER/RATIO - REAR AXLE REAR AXLE SUSPLIER - FBO WHEEL & TIRE DIAMETER DRIVE REAR BRAKE DIAMETER WHEEL BRAND, DRIVE REAR BRAKE DIAMETER WHEEL BRAND, DRIVE REAR BRAKE DIAMETER WHEEL BRAND, DRIVE



Year Model: 2017 GU713
VIN: 1M2 AX04C9HM035818
Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

0HXA1X STEEL WHEEL , DRIVE WHEEL MATERIAL DRIVE
0LXISX IRON PRESET HUB, DRIVE, W/INTEGRATED SPINDLE NUT HUB MATERIAL, DRIVE

REAR AXLE/TIRES: 95 item

FRAME EQUIPMENT/FUEL TANKS

Code	Description	Family
A0XH1X	FRONT FRAME LENGTH 725MM	FRONT FRAME LENGTH
ACK0002	191" TO 230"	WHEELBASE RANGERS
060000	BRK LIGHT CIRCT IS NOT AFFCTD BY SPRG BRK APPLTN/KEY POSITIO	BRAKE APP.TO TAIL LIGHTS
290002	BRAIDED HOSE	FUEL LINE MATERIAL
F11045	45L / 22" DIA SEMI TANK LEFT SIDE FRAME MTD	DEF TANK
DF20001	PAINTED FINISH DEF TANK COVER	DEF TANK COVER FINISH
3XTBX	XM = 7490 MM, REAR AXLE POS	REAR AXLE POSITION
FL0725	FRONT FRAME LENGTH 725MM	FRONT FRAME LENGTH
G8BA1X	AD-BLUE TANK MOUNTING LOCATION, FRAME RAIL	AD-BLUE TANK MOUNTING LOCATION
7XBA1X	FUEL TANK DRAINAGE, BASIC	FUEL TANK DRAINAGE
3520005	FILLER NECK W/O SUMP PUMP - ALL FUEL TANKS	FILLER NECK SCREENS
3620001	L.H. FUEL TANK	FUEL TANK - L.H.
		FUEL TANK - R.H.
3630001	R.H. FUEL TANK	*
BEXB1X	STEEL INTERMEDIATE CROSSMEMBER	INTERMEDIATE X-MEMBER MATRL
5330003	FURNISH STANDARD FUEL TANK CAP	FUEL TANK CAP
59XD3X	SPRING MOUNTED 45 DEGREE PAINTED STEEL B87	MUDFLAP HANGERS, REAR AXLE
DAAAX	CAB FOOTSTEP MATERIAL/FINISH, ALUMINUM	CAB FOOTSTEP MATERIAL/FINISH
SLBB1X	FUEL TANK VENTILATION, BASIC	FTVE-BAS
ZXA1X	FRONT MUDGUARD, BASIC	MUDGUARD TYPE, FRONT AXLE
740056	56"	AF (OVERHANG)
790001	PLATE TYPE	RADIATOR GUARD
449004	BLACK POLYARMOUR (NO NAME TO APPEAR ON FLAP) (NOT ANTI-SPRAY	FLAPS - WHEEL (FRONT)
DXN7X	BUMPER, STEEL CHROME PLATED EXTENDED, STONE GUARD	FRONT BUMPER
		TOWING DEVICE, FRONT
EXG1X	TWO HOOKS TOWING DEVICE, FRONT	
YAAAX	FRAME FASTENERS-HUCK BOLTS	FRAME FASTENINGS
ZAAAX	CROSSMEMBER, BOGIE, BASIC TYPE	CROSSMEMBER, BOGIE TYPE
140012	22" DIA (CV5/CV7/CT7/LE)	FUEL TANK SECTION
370001	ALUMINUM	FUEL TANK MATERIAL
909017	DUAL DRAW & RETURN (OR:CV7#02-02-48)	FUEL SYSTEM - DUAL
CAAAX	155MM, FRONT FRAME EXTENSION, BOLTED ON (6 INCHES)	FRONT FRAME EXT. (BOLTED ON)
4AA1X	FUEL FILL SYSTEM, BASIC	FUEL FILL SYSTEM
241035	155MM (6") FRONT FRAME EXTENSION, BOLT ON	FRONT FRAME EXTENSION
430009	TWO HOOKS TOWING DEVICE, FRONT	TOWING DEVICE - FRONT
710226	226"	WHEELBASE
	195"	PLATFORM
2720195		
2731007	FRAME REINFORCEMENT - INSIDE, 5MM STEEL, FULL LENGTH OF MAIN	FRAME REINF-INSIDE
2741029	STEEL - 300M M X 105MM X 11.1MM (11.81" X 4.13" X 0.437")	FRAME RAILS
2770010	BETTS B87 BRACKETS WITH CONSPICUITY FEATURE(FMVSS 108)	MUD FLAP BRACKETS
2794303	EXTENDED-SWEPT BACK-STEEL BRIGHT FINISH	BUMPER - FRONT
2811056	BOC AND INTERMEDIATE XMBRS = HEAVY DUTY I-BEAM	CROSSMEMBERS
2882088	88 GAL.ALUM (333 LITERS) 22IN (560MM)	FUEL TANK - LH
2902066	66 G AL.ALUM (250 LITERS) 22IN (560MM)	FUEL TANK - RH
2HXA1X	BASIC MUDFLAP, FRONT AXLE	MUDFLAP, FRONT AXLE
(OXB1X	FRAME FLANGE WIDTH 105MM	FRAME FLANGE WIDTH
(6XA1X		
	STRAIGHT CUT TREATMENT, REAR FRAME	REAR FRAME TREATMENT
(8XB1X	STEEL FORWARD REAR SUSP. CROSSMEMBER	FORW REAR SUSP. X-MEMBER MTRL
'AXJ1X	11.1 MM THICK FRAME	FRAME SECTION
BXGAX	FRAME RAIL EXTERNAL HEIGHT (300MM)	FRAME RAIL SECTION-HEIGHT
DXSWX	REAR FRAME LENGTH, 2095 MM	REAR FRAME LENGTH
9XB2X	LINER, FULL VERSION 2 (5MM THICKNESS)	FRAME INNER LINER
IXA1X	CROSSMEMBER, BOGIE, STEEL	CROSSMEMBER, BOGIE, MATERIAL
150000	NO FRAME MODIFICATIONS PROVIDED	FRAME MODIFICATION
2AC1X	FULE LINE OPTION, DUAL DRAW	FUEL LINE OPTIONS
)5AA1X	REAR CROSSMEMBER, STRAIGHT FRAME END (BASIC)	REAR CROSSMEMBER OPTIONS
28XB1X	ACKERMAN SETTING 2 WB.(4827-5842 MM)(191-230 US INCHES)	ACKERMAN SETTING
(AP7490	XM = 7490 MM, REAR AXLE POS	REAR AXLE POSITION
	XM ≈ 7490 MM, REAR AXLE POS REAR FRAME LENGTH, 2095 MM	
FL2095		REAR FRAME LENGTH
OXABX	DEF TANK MATERIAL, PLASTIC	AD-BLUE TANK MATERIAL
0XA1X	SEMI RECTANGULAR DEF TANKS FOR DIAM 56 BRACKETS	AD-BLUE TANK SHAPE
6BA1X	DEF TANK COVER, PAINTED FINISH	AD-BLUE TANK COVER
5XA1X	WITH FUEL TANK SCREEN	FUEL TANK FILTER
8XEIX	335 LITRE (88 US GAL.), LEFT SIDE FUEL TANK	FUEL TANK, LEFT HAND SIDE
9XBHX	250 LITRE (66 US GAL.), RIGHT SIDE FUEL TANK	FUEL TANK, RIGHT HAND SIDE
HXB1X	FUEL HOSES, WIRE BRAIDED	FUEL HOSES
BXA1X	DIAM. 560 MM (22 INCH), FUEL TANK	FUEL TANK SHAPE
DXB1X	FUEL TANK MOUNTING, DUAL MOUNTED FUEL TANK (LFUEL AND RFUEL	FUEL TANK MOUNTING
KEXA1X	ALUMINUM FUELTANK	FUEL TANK MATERIAL
(FXA1X	NO N-LOCKABLE FUEL TANK CAP	FUEL TANK CAP
KHXA1X	PAINTED FUEL TANK STRAPS	FUEL TANK STRAPS MTRL



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

MAM0001	30" to 82"	AFTERFRAME RANGE
MLXBIX	AD-BLUE TANK 45 LITER LEFT HAND SIDE	AD-BLUE TANK LEFT HAND SIDE
OAXN1X	BOC AND INTERM X-MBRS WELDED I-BEAM, RIVETED GUSSETS	X-MBR CONFIG AND POSITION
8FXU1X	UNIFORM LOAD NO ADAPTATION	TRANSPORT ADAPTATION
FRAME EQUIPMENT/FUEL TANKS: 73 items		

CAR

Code	Description	Family
9050003	WITH DAYTIME RUNNING LIGHTS, PARK BRAKE SET (ENGAGED) & ENG	DAYTIME RUNNING LIGHTS
9970001	CUSTOMER GUARANTEED WEIGHT, MUST BE CERTIFIED WEIGHT	CERTIFIED WEIGHT
9FCA1X	FOG LAMP TECHNOLOGY INCANDESCENT	FOG LAMP TECHNOLOGY
ЭНААВХ	AUDIO WAVEBANDS FM 87,75+87,9-107,9 MHZ, AM 530-1710 KHZ	AUDIO WAVEBANDS
A270003	FURNISH WOOD GRAIN DASH	INSTRUMENT PANEL
A5DA1X	INTERIOR GENERATION, 1	INTERIOR GENERATION
ADXC1X	EXTERIOR GENERATION THREE	EXTERIOR PACKAGE GENERATION
ASXABX	TINTED GLASS, LOW (LEVEL OF TINTING)	REAR WINDOW FEATURES
B060001	TWO 12V AUX POWER OURLETS- DASHMOUNTED	PO WER OUTLETS
34BAAX	GAUGES GRADUATION (EXCL. SPDM), USA UNITS	GAUGES GRADUATION (EXCL. SPDM)
3570000	FURNISH STANDARD WASHER BOTTLE (30)	WINDSHIELD WASHER
3700002	BRIGHT FINISH GRILLE	HOOD AIR INTAKE GRILLE
3800002	GUARDDOG ROUTINE MAINTENANCE MONITORING SYSTEM, WITHOUT BRAKE	GUARDDOG MAINT. MONITORING
BHXAAX	CIGAR LIGHTER	CIGARLIGHTER
C0D0000	WITH OUT CAB CLEANOUT	AUX.INCAB PNEUMATIC LINE
C0J0012	CO-PILOT DRVR DISP ENHANCED LCD DISP W/4 BUTTON STALK CONTRO	INSTRUMENT CLUSTER DISPLAY
2520001	DEFAULT: ENGLISH, OPTION: SPANISH/FRENCH	INSTMNT CLUSTER LANGAGE
CBXD1X	DRIVER INFO DISPLAY COPILOTE	DRIVER INF. DISPLAY SCREEN
CKX50X	CONVENTIONAL (N-SERIES)	VEHICLE PROFILE
OCC0001	REAR STORAGE POUCH	STORAGE POUCH - REAR
D2XA1X	WIPER BLADE, BASIC	WIPER BLADE STYLE
D9AAAX	EXHAUST PYROMETER GAUGE	GAUGE EXHAUST PYROMETER
DBXA2X		DASHBOARD
OAAAX	ACCENT STRIP (WOOD) ON DASH TRANSMISSION OIL TEMP GAUGE	
		GAUGE TRANSM. OIL TEMP
3XC1X	FORWARD OVERHEAD STORAGE, 3 STORAGE COMPMNT W/NET	FORWARD OVERHEAD STORAGE
AXB1X	WIRING FOR TWO AUX. SWITCHES	AUXILIARY SWITCH WIRING
8XC8X	RADIO, AM/FM, CD-PLAYER, WEATHER BAND	AUDIO SYSTEM
KX50X	CAB POS, MEDIUM X COORD (LONGITUD) LOW Z COORD (HEIGHT)	CAB POSITION
0XAHX	DOME LAMP, INTERIOR, 2 EACH SIDE, SWITCHES INCLUDED	DO ME LAMP, INTERIOR
FXB1X	REAR WALL STORAGE COMPARTMENT, FIXED	REAR WALL STORAGE COMPARTMENT
QXAAX	WASHER RESERVOIR BASIC POSITION	WASHER RESERVOIR POSITION
XXC1X	1 SINGLE ELECTRIC HORN SINGLE TONE	HORN, ELECTRICAL
LZXJ1X	AIR HORN, ROOF MOUNTED, 2 SINGLES, WITH PROTECTIVE SHIELD	AUX. HORN
M060002	2 PIECE WINDSHIELD	WINDSHIELD TYPE
N1XB5X	DASH, DUAL OUTLET- 12V	ELECTRICAL DASH OUTLET
N6XR2X	STD PKG + ENG OIL TEMP, TRANSM OIL TEMP & EXH PYROMETER	GAUGE PACKAGES
N8XD1X	MILES/HOUR, KILOMETER/HOUR SPEEDOM, GRADUATION	SPEEDOM. GRADUATION
NIXA1X	WIPER SWITCH 4 POSITION (GENERIC 2 SPEED PLUS INTERMITTENT F	WIPER SWITCH
NPXB1X	SELF CANCELLING TURN SIGNAL	TURN SIGNALS
OUXA1X	SEAT BELT DRIVER SEAT BLAC	SAFETY BELT DRIVER SEAT
OXXA1X	SAFETY BELT PASSENGER SEAT BLAC	SAFETY BELT PASSENGER SEAT
P1XE1X	FIRST OPTION LANG.SPANISH	DRIVER INFO.FIRST OPTION LANG.
P2XD1X	SECOND OPTION LANG.FRENCH	DRIVER INFO.SECOND OPTION LANG
P6XABX	MAINTENANCE MONITORING SYSTEM, EXCLUDING BRAKE LINING	SERVICE ALERT SYSTEM
Q2AA1X	CAB STEP,BASIC	CAB STEP VERSION
Q4XADX	PEEP WINDOW ON RIGHT SIDE NON STG WHL POS. DEPEND	DOOR WINDOW FRONT
SPKMHSP	SPEAKER LOCATION, BEHIND DOORS MIDDLE HIGH SIDE PANEL	SPK SLPR.BOX:SPEAKER LOCATION
J3CD1X	DRIVERS SEAT UPH, VINYL SIDES, CLOTH CUSHIONS & FRNT, CARPET BACK	DRIVERS SEAT UPHOLSTERY
J4CD1X	PASSNGR SEAT UPH, VINYL SIDES, CLOTH CUSHIONS&FRNT, CARPET BACK	PASSENGERS SEAT UPHOLSTRY
J7XB1X	INTERNAL SUNVISOR FRONT, BASIC (NO MIRROR), BOTH SIDES	SUNVISOR INTERIOR, FRONT
/PXA1X	TINTED GLASS, ALL DOORS - GREEN	GLASS COLOUR DOORS
WSXBAX	SPLITTED WINDSCREEN	WINDSCREEN TYPE
K6CA1X	FIRE-EXTINGUISHER MANUFACTURE, GENERIC	FIRE EXTINGUISHER MANUFACTURE
(RXB1X	ADJUSTABLE STEERING WHEEL	STEERING WHEEL ADJUSTMENT
/6CB1X	HEATED MIRROR TIME-OUT, 60 MIN	HEATED MIRROR TIME-OUT
0042102	PEDIGREE SANDSTONE	INTERIOR TRIM LEVELS
DEAA1X	AIR INTAKE GRILLE, BRIGHT FINISH	AIR INTAKE GRILLE, FINISH
DHAA1X	SEAT SUPPORT, DUST COVER, DRIVER SIDE	SEAT SUPPORT, DUST COVER
DIAAAX	ASHTRAY	ASHTRAY
JAA1X	CAB GRAB HANDLES, OUTER AND INNER, BASIC	CAB GRAB HANDLE
	FLOOR COVER, CENTER, POLYURETHANE	FLOOR COVER, CENTER MATERIAL
OKAA1X	AUTOMATIC AUDIO CHUTOEE PEVEDEE ENCACED	AUDIO SHUTOFF
	AUTOMATIC AUDIO SHUTOFF, REVERSE ENGAGED	
DLAA1X	HEADLINER, VINYL	HEADLINER MATERIAL
DLAA1X DMAA1X		HEADLINER MATERIAL INTERIOR TRIM PATTERN
DLAA1X DMAA1X DTAACX	HEADLINER, VINYL	
0KAA1X 0LAA1X 0MAA1X 0TAACX 13AA1X 1443000	HEADLINER, VINYL INTERIOR TRIM PATTERN 3 (PEDIGREE)	INTERIOR TRIM PATTERN



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

1460001	ROLL-UP LH&RH-CRANK OPERATED	WINDOW CONTROLS
1480011	TWO SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	WINDSHIELD WIPERS
1490000	FURNISH STANDARD STEP CONFIGURATION	CAB ACCESS STEPS
1500002	DRIVER'S AND RIDER'S SEAT	SEAT BELTS/RETRACTORS
1522102	BULLDOG-HEATED BR FIN	MIRRORS - EXTERIOR
1532002	BRIGHT FINISH (LH & RH) 8.0" DIA.	MIRRORS - CONVEX TYPE CAB DOORS
1540002	MACK-2-RECT ALUM SINGLE TRUMPET, W/ SHIELDS, ROOF MOUNTED	HORN - AIR
1550001	FIXED	REAR WINDOW
1560005	ANTENNA, RADIO, MIRROR MTD, RIGHT	RADIO - ANTENNA
1570001	SUN VISOR, EXTERIOR, FIBERGLASS (PAINTED)	SUN VISOR - EXTERIOR
15T0060	HEATED MIRROR 60 MIN TIME-OUT (DEFAULT SETTING)	15T HEATED MIRROR TIME-OUT
1600001	ALL CHASSIS KEYED AT RANDOM - 2 KEYS	KEYED ALIKE CHASSIS
1610013	2 SPOKE URETHANE GRIP, BRUSHED NICKEL SPOKES, W/O SWITCHES	STEERING WHEEL
1640001	FURN (2) EXTRA DASH MTD ROCKER SW FOR HOOK-UP OF LOCAL INSTA	DASH MOUNTED SWITCHES
1659000	FURNISH DRIVERS SEAT WITH INBOARD MTG ARMREST	SEAT ARM RESTS
1660001	5 WAY BINDING POST (FOR CB) DASH MOUNTED	RADIO - BINDING POSTS FOR CB
1731001	BLEND AIR HVAC	AIR CONDITIONING/HEATER
1746101	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOO	RADIO/RADIO ACCOMODATION
1790001	DRIVERS ONLY	SEAT - DUST COVERS
1840007	POLYURETHANE FLOOR MAT	FLOOR COVERING
1962270	AIR-BOSTROM TALLADEGA 915 (HIGH BACK)	SEAT - DRIVER
1971107	FIXED-MACK (MID-BACK)	SEAT - RIDER
1980001	U.S. UNITS (PREDOMINANT)	GAUGES - METRIC
1990008	ELECTRONIC W/ ODOMETER & TRIP ODOMETER(W/PROXIMITY PICK UP)	GAUGE - SPEEDOMETER
1DAADX	SEAT MEG & SERIES, DRIVER, BOSTROM 915	SEAT MFG. AND SERIES, DRIVER DRIVER SEAT UPHOLSTERY COLOR
1EAAAX	DRIVER SEAT UPHOLSTERY COLOR, NON SPECIFIED (INT DEPEND)	
1FAAEX	DRIVER SEAT FTR, HI BACK, STD WIDTH, MECH LUMBAR ADJ	DRIVER SEAT FEATURES
1GAAAX	SEAT MFG. & SERIES, PASSENGER, BOSTROM MACK	SEAT MFG. & SERIES, PASSENGER
1HAAAX	PASSENGER SEAT UPH. COLOR, NON SPECIFIED (INT DEPEND)	PASSNGR SEAT UPHOLSTRY COLOR
1IAABX	PASS SEAT FEATURES, MID BACK, CUSHION ADJ	PASSENGER SEAT FEATURES
1WAA1X	POWER LEAD, 5 WAY TYPE, DASH MTD	PO WER LEADS
1XAA1X	FIRE EXTINGUISHER LOCATION, DRIVER SEAT	FIRE EXTINGUISHER LOCATION
2030009	MIRROR MOUNTED ANTENNA FOR CB-RADIO, LEFT, AERIAL	RADIO ANTENNA - CB
2060001	GAUGE, EXHAUST PYROMETER	GAUGE - EXHAUST PYROMETER
2070001	AIR SU SPENDED	CAB MOUNTING
2080001	BLACK FINISH	HOOD LATCHES
2090005	FENDER EXT. W/ 18-23 FR AXLE	FENDER EXTENSIONS
20XA1X	BASIC UNIQUE KEY	KEY TYPES FOR DOORS
2120001	ELECTRICAL	GAUGE-ENGINE OIL TEMP.
2140001	TRANSMISSION GAUGE(S)	GAUGE-TRANS.OIL TEMP.
2180001	VOLTMETER	GAUGE-ELECTRICAL SYSTEM
21XA1X	WITH AUX. REAR WINDOW - FIXED	AUXILIARY REAR WINDOW
2380001	KEY TYPE	STARTER SWITCH
2390007	SELF CANCELLING TURN SIGNALS	DIRECTIONL SGNL SWTCHOPT
28XC1X		
	STATIONARY GRILLE	
	STATIONARY GRILLE	FRONT GRILLE
2940001	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK	FRONT GRILLE GAUGE - FUEL LEVEL
2940001 2DX90X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR
2940001 2DX90X 2KXB1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING
2940001 2DX90X 2KXB1X 2QAA1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL O PENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BUILET LED TYPE (SET OF 5) N/A W/ ROOF FA	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34XB1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN)	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X 3GX81X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BUILLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X 3GX81X 3KXFBX	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR (INTERIOR TRIM 2, MEDIUM	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34XB1X 3540002 3610002 3AXB1X 3GXB1X 3KXFBX 3PXA1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR (INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY)	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X 3GX81X 3KXFBX 3PXA1X 3RXF1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR (INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X 3GX81X 3GX81X 3FXA1X 3RXF1X 3RXF1X 3UAC1X 3VAB1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TOME (I HORN) MANUAL DOOR LOCKING EL, HEATED EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG.
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34XB1X 3540002 3610002 3AXB1X 3GXB1X 3GXB1X 3FXF1X 3JAC1X 3JAC1X 3VAB1X 3VAB1X 3VAB1X 3XAA1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR (INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34XB1X 3540002 3610002 3AXB1X 3GXB1X 3GXB1X 3FXA1X 3FXFIX 3UAC1X 3VAB1X 3XAA1X 3XCA1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34XB1X 3540002 3610002 3AXB1X 3GXB1X 3GXB1X 3RXFBX 3PXA1X 3RXF1X 3UAC1X 3VAB1X 3XAA1X 3XCA1X 3ZXG2X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATD EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT DRIVERS SEAT, AIR SUSPENDED	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE DRIVER SEAT SUPPORT
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34XB1X 3540002 3610002 3AXB1X 3GXB1X 3GXB1X 3RXF1X 3UAC1X 3VAB1X 3XAA1X 3XCA1X 3ZXG2X 4000017	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BUILTET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I. HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR (INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT DRIVERS SEAT, AIR SUSPENDED BRIGHT FINISH GRILLE W/O SURROUND	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE DRIVER SEAT SUPPORT
2940001 2DX90X 2KXB1X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZXZ5X 3120010 3400014 34XB1X 3540002 3610002 3AXB1X 3GXB1X 3GXB1X 3RXF1X 3UAC1X 3VAB1X 3XAA1X 3XCA1X 3ZXG2X 4000017	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT DRIVERS SEAT, AIR SUSPENDED BRIGHT FINISH GRILLE W/O SURROUND HAND FIRE EXTINGUISHER 2.2 KG (SLB) ENGLISH DECAL	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE DRIVER SEAT SUPPORT GRILLE FIRE EXTINGUISHER
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X 3GX81X 3KXFBX 3PXA1X 3PXA1X 3VAB1X 3XAA1X 3XCA1X 3ZXG2X 4000017 40XA1X 4320002	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I. HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT DRIVERS SEAT, AIR SUSPENDED BRIGHT FINISH GRILLE W/O SURROUND HAND FIRE EXTINGUISHER 2.2 KG (SLB) ENGLISH DECAL STRAP TYPE (TO P OF DASH)	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE DRIVER SEAT SUPPORT GRILLE FIRE EXTINGUISHER RADIO - CB RADIO MOUNTING
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AXB1X 3GXB1X 3GXB1X 3WXA1X 3VXB1X 3VXB1X 3VXB1X 3VXB1X 3VXB1X 3XXA1X	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT DRIVERS SEAT, AIR SUSPENDED BRIGHT FINISH GRILLE W/O SURROUND HAND FIRE EXTINGUISHER 2.2 KG (SLB) ENGLISH DECAL STRAP TYPE (TO P OF DASH) ADJUSTABLE TILT TELESCOPE	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LIGHT BULB DASH IND LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE DRIVER SEAT SUPPORT GRILLE FIRE EXTINGUISHER RADIO - CB RADIO MOUNTING
2940001 2DX90X 2KX81X 2QAA1X 2RAA1X 2WXA9X 2XX20X 2ZX25X 3120010 3400014 34X81X 3540002 3610002 3AX81X 3GX81X 3KXFBX 3PXA1X 3PXA1X 3VAB1X 3XAA1X 3XCA1X 3ZXG2X 4000017 40XA1X 4320002	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK REAR CAB SUSPENSION, AIR EXTENDED FRONT WHEEL OPENING IGNITION TYPE, KEY BASIC FUEL LEVEL SENDER MOUNTED ON L.H TANK DIAMETER 460 MM STEERING WHEEL MANUAL WINDOW LIFT TINTED WINDOW GLASS TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH FIXED PASSENGER SEAT BOTH SIDES SINGLE TONE (I. HORN) MANUAL DOOR LOCKING EL HEATED EXT. MIRROR INTERIOR TRIM 2, MEDIUM SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY) INTERIOR TRIM BEIGE ROOF LAMP, BULLET, TRUCKLITE ROOF LIGHT BULB, LED DASH INDICATOR LAMP, BODY OUT OF POSITION INTERIOR ILLUMINATION TYPE, INCANDESCENT DRIVERS SEAT, AIR SUSPENDED BRIGHT FINISH GRILLE W/O SURROUND HAND FIRE EXTINGUISHER 2.2 KG (SLB) ENGLISH DECAL STRAP TYPE (TO P OF DASH)	FRONT GRILLE GAUGE - FUEL LEVEL CAB SUSPENSION REAR FRONT WHEEL OPENING IGNITION TYPE FUEL LEVEL SENDER UNIT STEERING WHEEL WINDOW LIFT GLASS COLOUR IDENTIFICATION/CLEARANCE LIGHTS HOOD AND FENDERS PASS SEAT SUPPORT SUN VISOR - INTERIOR HORN - ELECTRIC DOOR LOCK CAB EXTERIOR MIRROR FEATURES INTERIOR TRIM LEVEL SEAT ARMREST CAB INTERIOR TRIM COLOUR ROOF LAMP STYLE & MFG. ROOF LIGHT BULB DASH IND. LAMP BODY OUT OF POS INTERIOR ILLUMINATION TYPE DRIVER SEAT SUPPORT GRILLE FIRE EXTINGUISHER RADIO - CB RADIO MOUNTING



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

4850002	CLOTH & VINYL, CAB INTERIOR DEPENDANT COLOR, DRIVER & RIDER	SEAT COVERING
4921402	MACK mDRIVE-PREMIUM SHIFTER	GEAR SHIFT
4AXB1X	MANUAL CONTROLLED CLIMATE CONTROL AIR CONDITION	CLIMATE UNIT
4NXF1X	EXTERIOR SUNVISOR	SUNVISOR, EXTERIOR
4PXAHX	3 POINTS, BOTH SEATS, WITH HEIGHT ADJ	SEAT BELT
4UAA1X	HOOD LATCH FINISH, BLACK	HOOD LATCH FINISH
50AB1X	ADDT'L CLOSE VIEW MIRROR FINISH, STAINLESS STEEL	ADD'L CLOSE VIEW MIRROR FINISH
54AB1X	ADD'L CLOSE VIEW MIRROR SHAPE 8 IN. DIAMETER	ADD'L CLOSE VIEW MIRROR SHAPE
5750001	CIGAR LIGHTER	CIGAR LIGHTER
5760005	(4) DOME LAMPS - DOOR & SWITCH ACTIVATED	CAB DOME LIGHT
5870102	BF EXTERIOR CAB GRAB HANDLES, BL GRAB HANDLE RH INTERIOR WIN	GRAB HANDLES
5920005	LAP & SHOULDER (BOTH SEATS) CAB MTD SHOULDER BELT ADJUSTMT	SEAT BELTS/RETRACTORS
5BXB5X	MIRROR MOUNTED ANTENNA FOR CB-RADIO, LEFT, 48" LENGTH	ANTENNA, CB RADIO
5CXAEX	SPEAKER LOCATION, BEHIND DOORS, MIDDLE HIGH SIDE PANEL	SPEAKER LOCATION
5EAA1X	AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH	AUDIO INTEGRAT. PHONE HANDSFRE
5FAA1X	AUDIO COMMUNICATION CONNECTOR, USB AUDIO	AUDIO COMMUNICATION CONNECTOR
5FXA1X	GRILLE CAB GUARD, BASIC	CAB GUARD, FRONT
5GAA1X	AUX.LINE IN CONNECTOR IN AUDIO	AUX AUDIO CONNECTOR
5JXAHX	CB MOUNTING DASH TOP, VELCRO STRAP	COM.RADIO PREP KIT (CB)
73AJ1X	ANTENNA, RADIO, MIRROR MTD, RIGHT, 48 INCH LENGTH	ANTENNA, RADIO
7860105	5LB (ABC RATED) MOUNTED BETWEEN LH SEAT BASE & DOOR; VALVE A	FIRE EXTINGUISHER
7BAA4X	STEERING WHEEL MATERIAL, BASIC, BRIGHT FINISH	STEERING WHEEL MATERIAL
7RAAAX	EXTERIOR SUNVISOR FINISH-PAINTED	EXTERIOR SUNVISOR FINISH
8210002	VINYL COVERED FOAM PADDED HEADLINER	HEADLINER
8330042	STANDARD PKG + ENGINE OIL TEMP TRANSM OIL TEMP & EXH PYRO	GAUGE CLUSTER
88AA1X	EMBLEMS OPTION, COMPLETE	EMBLEMS OPTION
89AA1X	ENGINE COMPARTMENT INSULATION, HOOD	HOOD INSULATION, CLIMATE
8BXA1X	2 KEYS PROVIDED PER TRUCK (IGNITION AND DOOR LOCKS)	KEY QUANTITY PER TRUCK
6410002	AUTO SHUTOFF FOR ENTERTAINMENT RADIO SYSTEM WHEN VEHICLE REV	AUTO RADIO SHUTOFF
6440007	R.H.DOOR W/ PEEP WINDOW ONLY CV5-01-04-27A	PEEP WINDOW - CAB
6460001	FURNISH HOOD INSULATION	HOOD INSULATION
65AB1X	AIR HORN, FINISH, ALUMINUM	AUX. AIR HORN FINISH
6IAABX	CAB GRAB HANDLES, BRIGHT FINISH	CAB GRAB HANDLES FINISH
CAB: 174 items		

CAB - SLEEPER BOX

Code	Description	Family
7680000	OMIT SLEEPER BOX WINDOW	SLEEPER BOX - WINDOW
0160000	Day Cab (No Sleeper)	SLEEPER BOX
CAR SIEEDER ROV: 2 itoms		

PTO/SPECIALTY/ADDITIONAL EQUIPMENT

Code	Description	Family
1890013	REAR PTO TRANS, DOUBLE, 1 DIN- CONN.PUMP + 2 FLANGES (PTRD-D	PTO - REAR MOUNTED
P7CC1X	AIRTANK CALCULATION STATUS, NOT RUN	AIRTANK CALCULATION STATUS
PTO/SPECIALTY/ADDITIONAL	FOILIPMENT: 2 Items	

PAINT

Code	Description	Family
9860000	NO CUSTOM PAINT	PAINT PROCESS: HUB & DRUM
08XC1X	DRIVE WHEEL POWDER COAT, WHITE	DRIVE WHEEL PAINT
9850000	NO CUSTOM PAINT	PAINT PROCESS: RIM/WHEEL
9390000	NO T PAINTED	PAINT PROCESS: FUEL TANK
9380000	NOT PAINTED	PAINT PROCESS: BUMPER
9220000	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK) 6ABZ1X	PAINT PROCESS: CHASSIS
6BBZ1X	WHEEL PAINT PROCESS, NO CUSTOM PAINTED	WHEEL PAINT PROCESS
6ABZ1X	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK)	CHASSIS PAINT PROCESS
6530005	PREFINISHED POWDER COAT WHITE	PRE-FINISHED REAR DISC WHEELS
5ZBZ1X	BUMPER PAINT PROCESS, NOT PAINTED	BUMPER PAINT PROCESS
7HBZ1X	FUEL TANK PAINT PROCESS, NOT PAINTED	FUEL TANK PAINT PROCESS
5YBZ1X	HUB & DRUM PAINT PROCESS, CHASSIS COLOR	HUB & DRUM PAINT PROCESS
DAINT, 12 Items	* * * * * * * * * * * * * * * * * * *	

COMMUNICATIONS SYSTEMS

Code	Description	Family
D0E0000	DISABLE	FLEET MANGT. VIA DISPLAY
2JCA1X	REMOTE DIAGONISTIC SERVICES, ENABLED	REMOTE DIAG SERVICES
5JBE1X	GATEWAY WITH 3G AND WLAN	TELEMATICS COMMUNICAT GATEWAYS
3FCZ1X	COMM SYS NOTIFICATION, DISABLE - MESSAGE RECIEVED FUNCTION	COMMUNICATION SYS NOTIFICATION
V4CD1X	SIMCARD FOR NORTH AMERICA	TELE COMMUNICATION SUBSCRIPT.
COMMUNICATIONS SYSTEMS: 5 items		

ELECTRICAL

Code	Description	Family	
B830025	BODY LINK3 W CAB PASS THRU	BODY BUILDER INTERFACE	
JMXB1X	BRAKE LIGHTING, BASIC	ENGINE BRAKE LIGHTING	
L3XAJX	EL PREP KIT BODY BUILDER MODULE, CMPLT (29PIN CONN, BOC)	ELECTRICAL CENTER OUTLET	
L4X15X	LEFT HAND SIDE BATTERY BOX	BATTERY BOX MOUNTING	
L5XF1X	POLISHED ALUMINUM BATTERY BOX COVER	BATTERY BOX COVER	



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

LAX05X	ELECTRICAL SYSTEM 12 VOLT	VOLTAGE
LSXH1X	DRL WHEN ENG RUNNING, PARK BRAKE OFF	LOW BEAM
LVX40X	SYMMETRIC HEAD LAMP	HEADLAMP ASYMMETRIC
M150002	CHASSIS & POWER HARNESS WITH HEAVY DUTY CASING	M15 CHASSIS HARNESS OPTIONS
MOXAAX	BATTERY SHOCK PADS	BATTERY ISOLATION
NEXC1X	TAIL LAMP, MULTIPURPOSE	TAIL LAMPS
NG XB1X	WHITE FOG LAMP	AUX. FOG LAMP
Q8AB1X	ONE BATTERY BOX, 3 BATTERIES MAX.	B-BOX QTY AND BATT PER BOX
5RXA6X	BACK UP ALARM, 107DB, ECCO (CONSTANT SOUND)	BACK-UP ALARM
4CCC1X	ALTERNATOR CABLE AMP RATING, LOW (UP TO 165 AMPS)	ALTERNATOR CABLE AMP RATING
4830000	FURNISH STANDARD TAIL-LIGHTS	REAR LIGHTING
4050002	BATTERY BOX COVER, POLISHED ALUMINUM	BATTERY BOX COVERS
3930013	BATTERY BOX MTD LEFT SIDE UNDER CAB FWD OF FUEL TANK (3 BAT	BATTERY BOX - MOUNTING
3170003	ECCO BACK-UP ALARM 575 CONSTANT SOUND LEVEL	BACK-UP ALARM
3131211	FOG - HALOGEN (ROUND) PERLUX	FOG LIGHTS/PROVISIONS
B660002	DASH MTD. INDICATOR BODY/HOIST UP "BODYBUILDER LAMP"	DASH INDICATOR LIGHT
8690004	ALL CIRCUITS FUSE/BREAKER PROTECTED	ELECTRIC CIRCUIT PROTECTION PACKAGE
8480001	SHOCK PADS UNDER BATTERIES	BATTERY SHOCK PADS
3102500	HALOGEN-FLUSH	HEADLIGHTS
30AA1X	BODY BUILDER PREP. CAB FLOOR	BODY BUILDER PREP PASS THROUGH
Q8CH1X	CHASSIS WIRING HARNESS CASING, HEAVY DUTY	CHASSIS WIRING HARNESS CASING
ELECTRICAL: 26 items		

VEHICLE ELECTRONICS

	B 1.0	5 40
Code	Description	Family
V6CE1X	ON BOARD DIAG EMISSIONS PHASE C REGULATIONS	OBD EMISSIONS PHASE REGULATION
W5BL1X	2100 MAXIMUM ENGINE SPEED AT 0 MPH	MAXIMUM ENG SPEED AT 0 MPH
W8BAAX	WITH SERVICE ALERT	SERVICE ALERT
W9A01X	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	PERIODIC TRIP LOG DAY OF MONTH
WMXA1X	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN
WNX10X	WHEEL SENSOR ANTILOCK BRAKE SYSTEM	ANTILOCK BRAKE SYST.
WOXA1X	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN
X0AB0X	INCREASE 10 MINUTE MAXIMUM TIME	IDLE BATTERY CHECK
X3CB1X	DRIVER ID FUNCTION, DISABLED	DRIVER ID FUNCTION
X8CZ1X	ENGINE HIGH IDLE SPEED IN UPPER GEARS, DISABLED	HIGH IDLE SPEED-UPR GRS FEATUR
X9CZ1X	ENGINE SMART TORQUE FEATURE, DISABLED	ENGINE SMART TORQUE FEATURE
Y1CZ1X	ACCELERATION LIMITING FEATURE, DISABLED	VEHICLE ACCELERATION LIMITING
Y3CC5X	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)	PEDAL RSL SETTING
Y7BC1X	IDLE EMISSION LABEL LOCATION, LOWER DRIVER DOOR CORNER	IDLE EMISSION LABEL LOCATION
Y9CR1X	TRANSMISSION PTO1 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO1 SPLITTER RANGE
Z1CR1X	TRANSMISSION PTO2 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO2 SPLITTER RANGE
Z2CFSX	1ST RATIO FOR REDUCD HIGH IDLE, 248	1ST RATIO FOR REDUCD HIGH IDLE
2ACZ1X	GREEN HOUSE GAS SOFT TOP FACTOR, 0 MINUTES	GHG VSL SOFT TOP FACTOR
2BCZ1X	GHG SPEED LIMITER EXPIRATION MILEAGE 0 MILES	GHG VSL EXPIRATION MILEAGE
2DCZ1X	GHG AUTOMATIC ENGINE SHUTDOWN ALLOWABLE IDLE () HOURS/ YEAR	GHG AES ALLOWABLE HOURS
2ECZ1X	GHG AUTOMATIC ENGINE SHUTDOWN EXPIRATION MILEAGE 0 MILES	GHG AES EXPIRATION MILEAGE
2MCA1X	GREEN HOUSE GAS COMPLETE VEHICLE & COMPLETE CERTIFICATION	VEHICLE GHG CERTIFICATION
3G CB1X	GREEN HOUSE GAS VOCATIONAL APPLICATION	GHG APPLICATION, VEHICLE
3YAA1X	DISPLAY FEATURES, LIMITED, NO DRIVER ACCESS LEVEL 1	DISPLAY FTRS ACCESS, LMTD DRVR
4667000	VMAC CRUISE CONTROL	CRUISE CONTROL
78AC5X	EMISSION OBD, DISPLAY ONLY, USA2016	EMISSION ON BOARD DIAG CONTROL
7QXA1X	AMT MANUAL SHIFT IN AUTOMATIC MODE INCL KICK DOWN	AMT MANUAL SHIFT OPTIONS
6RAB1X	TRANS. PERF. MODE, ENABLED MANUAL SWITCH	TRANSMISSION PERFORMANCE MODE
6SAA1X	TRANS. KICK-DOWN MODE, ENABLED	TRANSMISSION KICK-DOWN MODE
G 8AA B X	PTO 2ND, MINIMUM ENGINE SPEED, 600 RPM	PTO 2ND, MINIMUM ENGINE SPEED
G9AABX	PTO 2ND, SPEED RAMP RATE 100 RPM/SEC	PTO 2ND, SPEED RAMP RATE
HOAABX	2ND PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 2ND, MAX ROAD SPEED
H4AZ1X	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	PTO 2ND,AUTO SET SINGLE SPEED
H5AAGX	PTO 2ND, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 2ND, ROAD SPEED LIMIT
H6AAEX	PTO2 SINGLE SPEED SETTING, 1000 RPM	PTO 2ND, SINGLE SPEED SETTING
H7AANX	PTO 2ND, MAX ENGINE SPEED, 2100 RPM	PTO 2ND, MAX ENGINE SPEED
JCXE6X	105 KM/H ROAD SPEED LIMITER(65 MPH)	ROAD SPEED LIMITER SETTING
JDXA1X	WITH CRUISE CONTROL	CRUISE CONTROL
JFXLLX	MAX CRUISE, 105 KPH (65 MPH)	CRUISE CONTROL, MAX SPEED
K4CZ1X	VEHICLE UPTIME DISABLED	VEHICLE UPTIME SETTINGS
K5XA2X	ENGINE PROTECTION (SHUTDOWN)	ENGINE PROTECTION SYSTEM
K7XH3X	IDLE CONTROL, 650 RPM	ENGINE INCIDENTIAL
L1CA1X	ENABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT	PDLO ENGAGE VLS FEATURE
L2CC1X	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 40KMH (25MPH)	PDLO ENGAGED VLS
L3CB1X	PTO2 HOLD TO NEAREST SORPM	PTO2 HOLD TO NEAREST RPM
L4CB1X	PTO2 ACCEL "BUMP-UP" 50RPM	PTO2 ACCEL BUMP-UP RPM
L5CB1X	PTO2 ACCEL "BUMP-DOWN" 50RPM PTO2 DECEL "BUMP-DOWN" 50RPM	PTO2 ACCEL BUMP-UP RPM PTO2 DECEL BUMP-DOWN RPM
L6CB1X	PTO1 HOLD TO NEAREST 50RPM	PTO1 HOLD TO NEAREST RPM
L7CB1X	PTO1 ACCEL "BUMP-UP" 50RPM	PTO1 ACCEL BUMP-UP RPM
L8CB1X	PTO1 DECEL "BUMP-DOWN" 50RPM	PTO1 DECEL BUMP-DOWN RPM



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

L9CB1X	ELECTRONIC HAND THROTTLE HOLD TO NEAREST 50RPM	EHT HOLD TO NEAREST RPM
M010000	DISABLED - DOES NOT ENGAGE THE FAN WHEN THE PTO #21S ENGAGE	FAN ENGAGEMENT W/PTO2
M020030	30 SECONDS IDLE SHUTDOWN TIME -BETWEEN WARNING LIGHT/BUZZER	IDLE S/D WARNING TIME
M030060	60 MPH	PTO1 ROAD SPEED LIMIT
M040060	60 MPH	PTO2 ROAD SPEED LIMIT
M080002	ECONO ROLL DISABLE mDRIVE (REQUIRED FOR ALL OTHER TRANSMISSI	ECO ROLL
M170001	BASIC, GEAR-SELECTION TUNING	TRANS- GEAR SELECTION
M190003	KEYPAD REMOTE CONTROLLED	TRANS PTO1 SPLIT GEAR RNG
M1CB1X	ELECTRO NIC HAND THROTTLE ACCEL "BUMP-UP" 50RPM	EHT ACCEL BUMP-UP RPM
M210004	EMISSION ONBOARD DIAGNOSTIC, DISPLAY ONLY, USA 2016	EMISSION ONBOARD DIAGNOSE
M220000	DISABLED VEHICLE ASSISTANCE SERVICE	VEHICLE ASSIST SERVICE
M230000	DISABLED REMOTE SOFTWARE UPGRADE SERVICE	REMOTE SW UPGRADE SERVICE
M240000	DIABLED VEHICLE UPTIME	VEHICLE UPTIME SETTINGS
M2CB1X	ELECTRO NIC HAND THROTTLE DECEL "BUMP-DOWN" 50RPM	EHT DECEL BUMP-DOWN RPM
M300001	GUARDDOG CONNECT WITH 3G AND WLAN SYSTEM WITH DIAGNOSTIC SER	TELEMATIC GATEWAY
M350000	DISABLED	DRIVER ID FUNCTION
M390001	GRADES <3% DURING >98% OF DRIVING DIST. MAX GRADE 8%	TOPOGRAPHY
M3CZ1X	IDLE SHUTDOWN ABS TAMPER CHECK, DISABLED	IDLE S/D ABS TAMPER CHECK
M400001	AMB TEMP HOT, UP TO +40C, WARMER ALLOWED 25 H/YEAR	AMB TEMP UPPER LIM (GTA)
M4CB1X	IDLE SHUTDOWN OVERIDE UPTO 20% ENGINE LOAD THRESHOLD	IDLE S/D OVERIDE %ENGINE LOAD
M7U0000	DISABLE	ACCELERATION LIMITER
Q1CA1X	GEAR SELECTION TUNING, BASIC	GEAR SELECTION TUNING
R5CZ1X	VEHICLE ASSISTANCE SERVICE DISABLED	VEHICLE ASSISTANCE SERVICE
U 3AJ0X	HIGHEST GEAR RATIO, 1.00	HIGH GEAR RATIO (TRANSMISSION)
U6AA1X	ENGINE GOVERNOR TYPE MIN-MAX	ENGINE GOVERNOR TYPE
U7AA1X	TRANS. PROTECTION, ENGINE SHUT DOWN (HIGH TEMP.)	TRANSMISSION PROTECTION
U 9AK7X	2ND HIGHEST GEAR RATIO, 1.27	SECOND HIGH GEAR RATIO TRANS
A8AALX	38C DEG (100F), WARM UP TEMP DELAY	IDLE S/D IF WARM-UP TEMP
A902200	2200 RPM	DATAMAX ENG OVRSPD-CMPANY
A942100	2100 RPM	EHT ENGINE RPM LIMIT
A950000	OMIT EHT SINGLE SPEED CONTROL	EHT SINGLE SPEED CONTROL
A970100	100 RPM/SEC.	EHT RAMP RATE
A980600	600 RPM	PTO1 MINIMUM SET RPM
A D7 0050	EHT ACCEL. BUMP UP 50RPM	EHT ACCEL. BUMP SPEED
A D80050	EHT DECEL. BUMP DOWN 50RPM	EHT DECEL. BUMP SPEED
AE50000	DISABLED EHT JUMP TO MIN. SPEED	EHT JUMP TO MIN. SPEED
AE70050	PTO1 HOLD TO NEAREST 50RPM	PTO1 HOLD TO NEAREST RPM
A E4 00 E0	DTO1 ACCEL BUIND UD FORDIA	
AF10050	PTO1 ACCEL BUMP-UP 50RPM	PTO1 ACCEL. BUMP SPEED
AF30050	PTO1 DECEL BUMP-DOWN 50RPM	PTO1 ACCEL BUMP SPEED PTO1 DECEL BUMP SPEED
AF30050	PTO1 DECEL BUMP-DOWN 50RPM	PTO1 DECEL. BUMP SPEED
AF30050 AF60000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED
AF30050 AF60000 AK10000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED
AF30050 AF60000 AK10000 AK50000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG
AF30050 AF60000 AK10000 AK50000 AK60000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZIX	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZIX B3ABAX	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX	PTO1 DECEL BUMP-DOWN 50RPM DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE, MAX ROAD SPEED EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000	PTO1 DECEL BUMP-DOWN SORPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX COK00000	PTO1 DECEL BUMP-DOWN SORPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K00000 CON0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K00000 C0N00001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATICO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED STANS RATICO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER.
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K00000 C0N00001 C0P00000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HOT THROTTLE, MAX ROAD SPEED EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT. INTER. IDLE RPM UP W/LOW VOLTAGE
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K0000 C0N0001 C0P00000 C0T0010	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/O	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER M PG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HOT HROTTLE, MAX ROAD SPEED EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, MAX ENG SPEED SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K0000 C0N0001 C0P0000 C0T0010 C0U0000	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IN TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/O DAY 1 OF THE MONTH	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE, MAX ROAD SPEED EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MAX ENG SPEED EL HOTHROTTLE, SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K0000 C0N0001 C0P0000 C0T0010 C0U00001 C0W0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MAX ROAD SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAD THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K0000 C0N0001 C0P0000 C0U00000 C0W0001 C0X00001 C0X00001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MAX ROAD SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER)
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX COK0000 CON0001 COP0000 COU0000 COW0001 COX0001 COX0001 COX00001 COX00001 COX00001 COX00001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL) NO DRIVER ACCES	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HO THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX COK0000 CON0001 COP0000 COT0010 COU0000 COW0001 COX0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRO NIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRO NIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRO NIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRO NIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL) NO DRIVER ACCES IDLE SHUTDOWN DISABLED	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HD THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX COK0000 COW0001 COW0001 COW0001 COX0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRO NIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRO NIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRO NIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRO NIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/O DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS,LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HD THROTTLE,MAX ENG SPEED EL HD THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGE VLS FEATURE
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX COK00001 COV00001 COV00001 COV00001 COV00001 COX0001	PTO1 DECEL BUMP-DOWN SORPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS,LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH)	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HD THROTTLE,MAX ENG SPEED EL HD THROTTLE,MAX ENG SPEED EL HD THROTTLE,MAY ENG SPEED
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B69000 B6ACEX B9AABX COK0000 COT0010 COV0001 COV0001 COV0001 COX0001	PTO1 DECEL BUMP-DOWN SORPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENGIDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL) NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM	PTO1 DECEL: BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HAD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAD THROTTLE,MAX ENG SPEED EL HAD THROTTLE,MAX ENG SPEED EL HOT TROTTLE,MAX ENG SPEED EL HOT BROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGED VLS TRANSMISSION SOFTWARE PACKAGE
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B69000 B6ACEX B9AABX COK0000 CON0001 COP0000 COT0010 COV0001 COV0001 COX0001	PTO1 DECEL BUMP-DOWN SORPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 1.27 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/O DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL) NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM 65MPH/105KMH PEDAL ROAD SPEED LIMITER	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, MAX ENG SPEED EL HD THROTTLE, SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT. INTER IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGED VLS TRANSMISSION SOFTWARE PACKAGE CRUISE SPEED LIMITER
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX C0K0000 CON0001 COP0000 COT0010 COU0000 COW0001 COX0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS,LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM 65MPH/105KMH PEDAL ROAD SPEED LIMITER AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)	PTOL DECEL. BUMP SPEED PTOL JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER M PG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE, MAX ROAD SPEED EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, MOX ENG SPEED EL HAND THROTTLE, MOX ENG SPEED EL HOTHOTTLE, SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OFM DEFAULT MAINT. INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGED VLS TRANSMISSION SOFTWARE PACKAGE CRUISE SPEED LIMITER AMBIENT TEMP MIN TRESHOLD
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B4ADAX B640127 B690000 B6ACEX B9AABX COK0000 COT0010 COU0000 COT0010 COU0000 COW0001 COX0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IN TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM 65MPH/105KMH PEDAL ROAD SPEED LIMITER AMBIENT TEMP MIN TRESHOLD, 27 DEG C, (80 DEG F)	PTO1 DECEL BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RSL ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,SPEED RAMP RATE SMART ENG.IDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGED VLS TRANSMISSION SOFTWARE PACKAGE CRUISE SPEED LIMITER AMBIENT TEMP MIN TRESHOLD
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B640127 B690000 B6ACEX B9AABX C0K00000 COT0010 C0U0000 C0T0010 C0U0000 C0W0001 C0X0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM 65MPH/105KMH PEDAL ROAD SPEED LIMITER AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F) SPEED SENSOR TAMPER DETECTION ACTIVATION, ENABLE	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RS ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HD THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGE VLS TRANSMISSION SOFTWARE PACKAGE CRUISE SPEED LIMITER AMBIENT TEMP MIN TRESHOLD SPEED SENSOR TAMPER DETECTION
AF30050 AF60000 AK10000 AK50000 AK60000 AK60000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B640127 B690000 B6ACEX B9AABX C0K0000 CON0001 C0P0000 COT0010 C0U0000 COW0001 COX0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS,LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PPLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM 65MPH/105KMH PEDAL ROAD SPEED LIMITER AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F) SPEED SENSOR TAMPER DETECTION ACTIVATION,ENABLE IDLE SHUTDOWN TIME 10 MIN.	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RLS PENALTY DECREASE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE, MIN ENG SPEED EL HAND THROTTLE, MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, MAX ENG SPEED EL HAND THROTTLE, SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MAINT.INTER. IDLE RPM UP WILCOW VOLTAGE PERIODIC TRIP DAY/MONTH ENG /OIL TEMP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGED VLS TRANSMISSION SOFTWARE PACKAGE CRUISE SPEED LIMITER AMBIENT TEMP MIN TRESHOLD AMBIENT TEMP MIN TESHOLD SPEED SENSOR TAMPER DETECTION ENGINE IDLE SHUTDOWN TIME
AF30050 AF60000 AK10000 AK50000 AK60000 AK80000 AK80000 AL10005 B0AAAX B1ACAX B2AZ1X B3ABAX B640127 B690000 B6ACEX B9AABX C0K00000 COT0010 C0U0000 C0T0010 C0U0000 C0W0001 C0X0001	PTO1 DECEL BUMP-DOWN 50RPM DISABLE DISABLE NO INCENTIVE PROGRAM 0 MPH 0 MPH 5 MPH ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT 30 SEC IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN, DISABLE ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH) ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM 127 DISABLE IDLE COOLDOWN ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC DISABLE SMART ENGIDLE ENABLED USER ENTERED 10 MIN MAX TIME W/0 DAY 1 OF THE MONTH ENABLED NO IDLE S/D SLPR MODE OVERRIDE DISPLAY FEATURES ACCESS, LIMITED (FLEET LEVEL)NO DRIVER ACCES IDLE SHUTDOWN DISABLED ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT PDLO ROAD SPEED LIMIT 25 MPH (40 KMH) TRANSM. SOFTWARE PACK, PREMIUM 65MPH/105KMH PEDAL ROAD SPEED LIMITER AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F) SPEED SENSOR TAMPER DETECTION ACTIVATION, ENABLE	PTO1 DECEL. BUMP SPEED PTO1 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED PTO2 JUMP TO MIN. SPEED DRIVER MPG INCENTIVE PROG INCENTIVE INCREASE IN RLS PENALTY DECREASE IN RS ENG BRK ENGAGE IN CRUISE IDLE SHUTDOWN IF POWER > LIMIT IDLE S/D WARNING TIME ENGINE IDLE COOLDOWN EL HD THROTTLE,MAX ROAD SPEED EL HAND THROTTLE,MIN ENG SPEED TRANS RATIO-2ND. HIGHEST IDLE COOLDOWN EL HAND THROTTLE,MAX ENG SPEED EL HAND THROTTLE,MAX ENG SPEED EL HD THROTTLE,SPEED RAMP RATE SMART ENGIDLE DATAMAX MAINT MONITOR OEM DEFAULT MINT.INTER. IDLE RPM UP W/LOW VOLTAGE PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP HOUR OF DAY PERIODIC TRIP SHUTDOWN IDLE S/D COOLDOWN (SLEEPER) DISPLAY FEATURES ACCESS IDLE S/D ABS TAMPER CHECK PDLO ENGAGE VLS TRANSMISSION SOFTWARE PACKAGE CRUISE SPEED LIMITER AMBIENT TEMP MIN TRESHOLD SPEED SENSOR TAMPER DETECTION



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

FAAAAV	CRUISE RESUME WITH CLUTCH	CRUISE RESUME WITH CLUTCH
E4AAAX E5AAEX	ENG BRK ENGAGE IN CRUISE, 5 MPH, ABOVE SET SPEED	ENG BRK ENGAGE IN CRUISE
F3AAEX	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	PTO1 SINGLE SPEED CONTROL RPM.
		PTO 1ST, MAX ROAD SPEED PTO 1ST, MAX ROAD SPEED
F5AABX	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	
F6AABX	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	PTO 1ST, SPEED RAMP RATE
F7AAPX	PTO 1ST, MAX ENGINE SPEED, 2100 RPM	PTO 1ST, MAX ENGINE SPEED
F8AAGX	PTO 1ST, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 1ST, ROAD SPEED LIMIT
F9AABX	PTO 1ST, MINIMUM ENGINE SPEED, 600 RPM	PTO 1ST, MINIMUM ENGINE SPEED
G0AZ1X	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	PTO 1ST, AUTO SET SINGLE SPEED
G1AABX	ENGINE IDLE DELAY TO START LOG, 2 MIN	ENGINE IDLE DELAY TO LOG
G 2AAGX	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	ENGINE OVERSPEED, FUELED, LOG
G 3AAPX	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70M PH (113KMH)	VEHICLE OVERSPEED, FUELED, LOG
G4AAUX	VEHICLE OVERSPEED, ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	VEHICLE OVERSPEED,ALL COND,LOG
G 5AAHX	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	ENGINE OVERSPEED,ALL COND, LOG
8RXAEX	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	ENG TORQUE LIMIT,SPEED SENSOR
9080000	DISABLE IDLE SHUTDOWN	IDLE SHUTDOWN
9320065	65MPH - 105KPH	ROAD SPEED LIMIT (RSL)
9330065	65 M PH	CRUISE CONTROL MAX SPEED
9340010	10 MINUTES	IDLE S/D TIMER
9KAB1X	IDLE EMISSION CERTIFICATION, CARB 08	IDLE EMISSION CERTIFICATION
A010010	10 MPH VSC SPEED LIMIT	EHT MAXIMUM ROAD SPEED
A020020	20 MPH VSC MIN FOR SETTING CRUISE CNTL	CRUISE CONTROL MIN. SPEED
A030700	700 RPM MIN SETTING	EHT MINIMUM SET RPM
A051000	1000 RPM SINGLE SPEED SETTING	PTO1 SNGL. SPEED CTRL.RPM
A060001	FURN ENG COOLANT TEMP SHUTDOWN	SHUTDOWN-ENG.COOLANT TEMP
A070001	FURN ENG OIL PRESSURE SHUTDOWN	SHUTDOWN-ENG.OIL PRESSURE
A130002	FURNISH IDLE SHUTDOWN OVERRIDE WHEN PTO ENGAGED (PTO SWITCH	IDLE S/D IF PTO ACTIVE
A160005	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER
A170100	100 DEG WARM-UP TEMP DELAY	IDLE S/D WARM-UP TEMP.
A1A0010	10 MPH	PTO1 MAXIMUM ROAD SPEED
A1B0600	600 RPM	PTO2 MINIMUM SET RPM
A1D0010	10 MPH	PTO2 MAXIMUM ROAD SPEED
A1E0100	100 RPM/SEC.	PTO2 RAMP RATE
A 110650	650 RPM	LOW IDLE ENGINE RPM
A1Y0002	2 MINUTES	DATAMAX IDLE LOG DELAY
A1Z0000	OMIT	PTO2 SINGLE SPEED CONTROL
A200000	OMIT LOWER GEAR ROAD SPEED LIMIT OPTION	LOWER GEAR RD.SPD.LMT.OPT
A220100	1.00 RATIO	TRANS. TOP GEAR RATIO
A230001	ENABLE IDLE SHUTDOWN REGARD- LESS OF ENGINE POWER LEVEL	IDLE S/D IF POWER>THRSHLD
A260002	MIN-MAX/AUTOMOTIVE GOVERNOR	GOVERNOR TYPE
A2B0100	100 RPM/SEC.	PTO1 RAMP RATE
A2W0001	ENABLED (CRUISE CONTROL WILL AUTOMATICALLY RESUME DURING A	CRUISE RESUME W/CLUTCH
A2Y0001	ENABLED(WARNING @ 310 DEG. F.;ENGINE SHUTDOWN @ 328 DEG. F.)	SHUTDOWN-TRANS. TEMP.
A3AZ1X	ENGINE IDLE SHUTDOWN, DISABLE	IDLE SHUTDOWN
A 3E0060	AMBIENT TEMP MIN THRESHOLD, 60 DEG F. (16 DEG C.)	AMBIENT TEMP.MIN.THRSHLD.
A3F0080	AMBIENT TEMP MAX THRESHOLD, 80 DEG F. (27 DEG C.)	AMBIENT TEMP.MAX.THRSHLD.
A 310020	IDLE S/D OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	IDLE S/D OVERRIDE ENG LD
A3K2100	2100 RPM -DATAMAX LOGS ACCUMU-LATED TIME ENGINE HAS EXCEEDED	DATAMAX ENG OVRSPEED-FUEL
A412100	2100 RPM	PTO1 ENGINE RPM LIMIT
A4AAEX	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER
A4BAAX	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	DETECTION SPEED SENSR TMPRNG
A5K0000	DISABLED	PTO1 AUTOSET
A 5L0000	DISABLED	PTO2 AUTOSET
A5R0050	PTO2 DECEL BUMP-DOWN 50RPM	PTO2 DECEL BUMP SPEED
A5X0050	50 RPM/BUMP:MUST BE MULTIPLE OF VALUE FOR CONDITION A7P PTO	PTO2 ACCEL BUMP SPEED
A611000	1000 RPM SINGLE SPEED SETTING	PTO2 SNGL. SPEED CTRL.RPM
A622100	2100 MAX VAR ENG SPEED LIMIT	PTO2 ENGINE RPM LIMIT
A6AABX	ENGINE IDLE SHUTDOWN TIME OVERRIDDEN IF PTO ACTIVE	IDLE S/D IF PTO ACTIVE
A6BC2X	AMT VOCATIONAL OPTION ENHANCED	AMT VOCATION OPTION
A742100	2100 RPM	HIGH IDLE RPM-MAX.NO LOAD
A790050	50 %	PWR.LIMIT LVLMPH SENSOR
A7I0050	PTO2 ACCEL BUMP-UP 50RPM	PTO2 ACCEL BUMP-UP RPM
A7P0050	PTO2 HOLD TO NEAREST 50 RPM	PTO2 HOLD-TO-NEAREST(RPM)
A7S0050	EHT HOLD TO NEAREST 50RPM	EHT HOLD-TO-NEAREST(RPM)
A7U0000	DISABLE ENGINE HIGH IDLE SPEED IN UPPER GEARS	ENG HIGH IDLE-UPPER GEAR
A7V0000	DISABLE ENGINE SMART TORQUE FEATURE	ENG SMART TORQUE FEATURE
A7W0000	DISABLE ACCEL LIMITING FEATURE	ACCEL LIMITING FEATURE
A7X0248	1ST RATIO N; 2.48 FOR REDUCED HIGH IDLE	1ST RATIO REDUCED HI IDLE
A810000	00 SECONDS	FAN ENGAGEMENT TIME-A/C
A840000	0 MINUTES	FAN ENGAGEMNT TIME-MOVING
A870070	70 MPH	DATAMAX VEH OVRSPEED-FUEL
A870070		
A880075	75 MPH	DATAMAX VEH OVERSPEED-ALL



Order Number: 053781

Build Date: 07/14/2016
In Service Date: 11/15/2016

TRAILER CONNECTIONS

Code	Description	Family
3080000	OMIT DUMMY GLAD HANDS AND BRACKET ON BACK OF CAB	ELECTRICAL PLUG HOLDER
3ZAA1X	WITH SPRING BRAKE INVERSION VALVE	SPRING BRAKE INVERSION VALVE
TRAILER CONNECTIONS: 2 items		

MISCELLANEOUS

Code	Description	Family
MGD0002	YEAR 2 COVERAGE INCLUDES VAS, ASIST, AND DIAG	GUARDDOG CONNECT PRICING
9160001	CUSTOMARY - ENGLISH UNITS	DIMENSION CONVERSION
MISCELLANEOUS: 2 items		

Code	Description	Family
9JXA1X	YES, THE ORDER MUST BE CALCULATED	PRO PCALC SELECTION
5420002	INCOMPLETE	VEHICLE CERTIFICATION
C430225	ENGINE CRANK ANGLE 2.25 DEGREES	ENGINE CRANK ANGLE
TCXB1X	PROP.SHAFT DIMENSION, MEDIUM, SINGLE JOINT	PRO P.SHAFT DIMENSION (RESULT)
TDXU2X	FIRST PROP.SHAFT LENGTH 1675	PRO P. SHAFT LENGTH, FIRST AXLE
TFXH2X	MAIN PROP.SHAFT LENGTH 775	PRO P. SHAFT LENGTH, MAIN AXLE
TJXA2X	TWO PIECE PRO P. SHAFT S	NUMBER OF PROP.SHAFTS
TNXCAX	PROP.SHAFT FIRST BRKT, POS 01	PRO P. SHAFT FIRST BRKT VERTICAL
TSXB1X	PROP.SHAFT 1 BRKT POS., LEFT1	PROP.SHAFT 1 BRKT POS. HORIZON
X2XKLX	CROSSMEMBER1 X=5650MM	CROSSMEMBER 1' LOCATION
XMXA1X	PROP. SHAFT BRACKET FIRST POSITION ANGLE BASIC (90 DEGREES)	PROP SHAFT BRKT, FIRST, ANGLE
XUXA1X	REAR SUSPENSION HEIGHT STANDARD	REAR SUSPENSION HEIGHT
Y0XD1X	RIDE HIGHT 216MM TO 225 MM CL AXLE TO LOWER FRAME FLANGE	FRONT RIDE HEIGHT AT FULL LOAD
Y1XE1X	RIDE HIGHT 231-250 MM, CL AXLE TO LOWER FRAME FLANGE	REAR RIDE HEIGHT AT FULL LOAD
0220000	NO PILOT REQUESTED	PILOT INSPECTION
0700001	SWITCH LAYOUT, BASIC	SWITCH LAYOUT PROC CODE
3HAB1X	DOT INCOMPLETE VEHICLE CERTIFICATION	VEHICLE CERTIFICATION
B4CA1X	SWITCH LAYOUT, BASIC	SWITCH LAYOUT
: 18 items		

TOTALS: 858 Items Report Date: 5/21/2018 5:20:51 PM

BUYERS ORDER



2702 Palmyra Rd. / Albany, GA 31707

DATE	06/29/18
CUSTOMER NO.	
PURCHASER	COOK COUNTY BOARD OF COMMISSIONERS
COUNTY	COOK
ADDRESS	1200 SOUTH HUTCHINSON AVE.
CITY/STATE/ZIP	ADEL, GA 31620
TELEPHONE	
NEW OR LISED	_

PO Box 3890 / Albany, GA 31706 ADDRESS			ADDRESS	SS 1200 SOUTH HUTCHINSON AVE.			
121 Bowens Mill Rd., S.E. / Douglas, GA 31533 CITY/STATE/ZIP			CITY/STATE/ZIP	P ADEL, GA 31620			
			TELEPHONE				
			NEW OR USED				
STOCK NO.	YEAR	MAKE	MODEL	SERIAL NO.	AMOUNT OF SALE		
148000	2017	KENWORTH	T880	1NKZLK0X9HJ148000	134,900.00		
ļ							
i							
				TOTAL	\$134,900.00		
SPECIAL COND	OITIONS:			IRP / STATE TAX			
OI LOIME GOINE	,,,,o,,,o,,			FEDERAL TAX	1		
				EXTENDED WARRANTY			
				DOC FEE			
				TOTAL	\$141,150.00		
Total Trucks:				LESS TRADE IN	\$0.00		
TERMS:				ADD PAY OFF	\$0.00		
				DOWN PAYMENT	\$0.00		
TAX RATE				BALANCE DUE			
TRADE-IN DES	CRIPTION	YEAR	MAKE	MODEL	SERIAL NUMBER		
PAY OFF DUE	ΓΩ	PHONE	AMOUNT	QUOTE BY	GOOD TILL		
na		THONE	\$0.00	QOOTEBT	GOOD TIEL		
ıια			ψ0.00		l.		
I hereby request,	direct and au	thorize you to bill and de	eliver to me the above descr	ribed motor vehicle as equipped ar	nd serviced including all equipment, options, and se	rvice itemized in	
detail hereon.							
					MPLIED, ARE MADE BY TRANSPOWER, INC. IT: H EXTEND BEYOND THE DESCRIPTION ON THI		
	, -		,		WARRANTY DELIVERED TO PURCHASER WITH	-	
VEHICLE OR CH	ASSIS SHAL	L APPLY AND THE SA	ME IS HEREBY DELIVERE	D TO PURCHASER WITH SUCH	VEHICLE OR CHASSIS SHALL APPLY AND THE	SAME IS	
					IS THE ONLY WARRANTY APPLICABLE TO SU		
FITNESS FOR A			OTHER WARRANTIES, EX	PRESS OR IMPLIED, INCLUDING	AND IMPLIED WARRANTY OF MERCHANTABI	LITY OR	
			XPRESS OR IMPLIED WAF	RRANTY OF ANY KIND OR DESC	RIPTION, INCLUDING ANY IMPLIED WARRANTY	OF	
			,		CE HEREOF. THERE ARE NO WARRANTIES WH		
					JNEXPIRED PORTION OF A MANUFACTURER'S		
WARRANIT IHE	neun, sail	WARRANTY SHALL E	E DE LEKIVIINED SOLELY	BY THE TERMS OF SAID EXPRE	SS WARRANTY. SIGNED		

I understand and agree that this instrument comprises the entire agreement pertaining to this purchase and no other agreement, verbal or otherwise, is understood by me or

shall be recognized. In the event this order is cancelled, TransPower, Inc. resumes the right to retain all deposits sufficient to cover liquidation damages. This order is not valid unless signed and accepted by an official of TransPower, Inc., and approved by a reasonable bank or finance company as to deferred balance. I certify that I am eighteen, and I have read this entire agreement and by affixing my signature hereto fully understand and agree to the terms and conditions set forth herein. IN THE EVENT OF AN INCREASE IN PRICE BY MANUFACTURER BEFORE DELIVERY I AGREE TO PAY THE DIFFERENCE IN PRICE.

PURCHASER'S SIGNATURE		DATE	
6ALESMAN	HARRELL	DATE	6/29/2018
ACCEPTED TRANSPOWER, INC. BY		DATE	

KENWORTH CHASSIS FINAL BILL PAGE 001

 KENWORTH
 CHASSIS FINAL BILL
 PAGE 001

 VMXXR036-1
 FOR VIN 1NKZLK0X9HJ148000
 AS OF 09/22/16

 UNIT TYPE 2
 OF FLEET 147999 THRU 148002

DEALER CODE - T615 NAME AND ADDRESS CUSTOMER NO - CG59 TRANSPOWER INC.

DATES REQ DELV 10/17/16

TRANS POWER, INC.

DELIVERY 09/22/16

2702 PALMYRA ROAD

PRIC EFF 09/22/16

ALBANY GA 31707

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS

DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091042 GRAVEL/CRUSHED ROCK/SAND

INTENDED SERVICE 0093005 LOCAL PICKUP & DELIVERY

BODY

BODY TYPE

0095010 END DUMP

BODY LENGTH 192.00 IN BODY HEIGHT

144.00 IN

MAX LADEN WEIGHT 6500.00 LBS

TRAILER

TRAILER TYPE

TRAILER LENGTH .00 FT TRAILER HEIGHT .00 FT
.00 IN CTR LINE AXLE GRP .00 IN
.00 IN NO TRAILER AXLE .00 FT TRAILER HEIGHT KINGPIN CORNER RADIUS .00 IN NO TRAILER AXLES 0.0

OPERATING AREA RESTRICTIONS

120.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT LENGTH

**** DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 18740.00 LBS REAR AXLE LOAD 46000.00 LBS GCW 64740.00 LBS WHEELBASE 209.00 IN FAX/BOC 68.00 IN CAB/AXLE 141.00 IN

CAB/EOF 201.00 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 090 % CLASS B 006

% CLASS C 004

% CLASS D 000

CHASSIS FINAL BILL

PAGE 002 CHASSIS FINAL BILL
FOR VIN 1NKZLKOX9HJ148000
CF PLEET 147999 THRU 148002 AS OF 09/22/16 UNIT TYPE 2 OF FLEET 147999 THRU 148002

SPECIAL REQUIREMENTS

SPECIAL RESTRICTIONS 0098025 U.S. DOMESTIC REGISTRY

ENGINEERING ASSIGNED RATINGS

SECOND INTER 0.00 LBS

GAWR FRONT: 18,740.00 LBS
GAWR FIRST INTER 23,000.00 LBS
GAWR REAR: 23,000.00 LBS
GAWR REAR: 64,740.00 LBS GVWR: 64,740.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
	BASE MODEL			
0000810	T880 Series Conventional	P	168,240	15,236
0070060	T880	P	0	0
0072000	CHASSIS OPERATION WILL NOT INCLUDE A	P	0	Ö
	STATIONARY APPLICATION		-	-
0080066	CARB Idle Emissions reduction Feature	P	100	0
	PACCAR MX engines - Low NOx Idle			
0090000	NONSLEEPER	P	0	0
	With rear axle capacity less than 59K			
	ENGINE AND ENGINE EQUIPMENT			
0700185	PACCAR MX-11 425 425@1700 1450@1000	P	0	377-
	with engine brake 2015+			
N0800	N219 0OFFSET MODE (N219)			
N0803	N224 2MAXIMUM VEHICLE SPEED BONUS			
N0804	N227 -2MAXIMUM VEHICLE SPEED PENALT			
N0819	N246 4MINIMUM VEHICLE SPEED FOR DS			
N0820	N247 1LOWEST GEAR THAT DSA WILL BE			
N0821	N248 6HIGHEST GEAR THAT DSA WILL E			
N0902	N170 120STANDARD MAXIMUM SPEED LIMIT			
N0903	N169 0VSL EXPIRATION DISTANCE (N16			
N0904 N0906	N162 70MAXIMUM ACCELERATOR PEDAL VE			
N0907	N163 0MAXIMUM CYCLE DISTANCE (N163 N052 650ENGINE IDLE SPEED (N052)	;		
N0910	NO15 NOENABLE RETARDER DURING MANUA			
N0911	NO19 0DELAY IN ENGINE BRAKE ACTIVA			
N0912	NO14 2AUTO RETARD VEHICLE SPEED OF			
N0913	NO13 4DOWNHILL SPEED LIMITER VEHIC			
N0914	N006 70MAX CRUISE SPEED (N006)	•		
N0915	NOO1 16MINIMUM SPEED TO TURN CRUISE	;		
N0916	N003 19MINIMUM CRUISE CONTROL SPEED			
N0917	N002 19MIN SPEED TO AUTOMATICALLY T			
N0918	NOOS 1VALUE TO INCREASE SPEED W/ S			
N0919	NOO4 1VALUE TO REDUCE SPEED W/ RES	1		
N0920	N039 OFFALLOW MULTI-TORQUE ONLY WHEN			
N0921	N193 0EIST EXPIRATION DISTANCE (N1			
N0922	N188 5TIMER SETTING NON-PTO MODE W	!		
N0923	N187 5TIMER SETTING NON-PTO MODE W			
N0924	N194 60TIMER FOR IMPENDING SHUTDOWN			
N0925	N190 YESRESET EIST TIMER BASED ON EN			
N0926	N191 NOOVERRULE EIST TIMER BASED ON			
N0927	N183 35ENGINE LOAD THRESHOLD (N183)			
N0928	N186 5TIMER SETTING WHEN IN PTO MO			

KENWORTH

PAGE 003 AS OF 09/22/16

KENWORTH CHASSIS FINAL BILL
VMXXR036-1 FOR VIN 1NKZLK0X9HJ148000
UNIT TYPE 2 OF FLEET 147999 THRU 148002

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
N0929	N200 YESALLOW EIST TIMER OVERRULES I			
N0930	N185 40LOW AMBIENT TEMPERATURE OVER			
N0931	N184 80HIGH AMBIENT TEMPERATURE OVE			
N0935	N197 YESENABLE ACCELERATOR PEDAL RES			
N0936	N199 YESENABLE CLUTCH PEDAL RESET (N			
N0937	N198 YESENABLE SERVICE BRAKE RESET (
N0938	N071 ONFIC ENABLE/DISABLE (N071)			
N0939	N072 1900MAXIMUM FAST IDLE CONTROL EN			
N0940	N105 100DECREASE ENGINE SPEED W/ RES			
N0941	N107 100INCREASE ENGINE SPEED W/ SET			
N0942	N104 250RATE TO DECREASE ENGINE SPEE			
N0943	N103 350RATE TO INCREASE ENGINE SPEE			
N0944	NOSO 1PTO VEHICLE SPEED LIMIT (NOS			
N0945	NO78 ONPTO MODE DISABLED W/ CLUTCH			
N0946	N101 ONPTO MODE DISABLED W/ SERVICE			
N0947	NO79 ONPTO MODE ENABLE ONLY W/ PARK			
N0948	NO89 ONPTO MODE ENABLE ONLY W/ TRAN			
N0949	NO82 50 REDUCE ENGINE SPEED W/ RESUM			
N0950	NO83 50INCREASE ENGINE SPEED W/ SET			
N0951	NO84 250RATE OF DECREASE IN ENGINE S			
N0952	N085 350RATE OF INCREASE IN ENGINE S			
N0953	N110 ONENABLE SET POINT W/ SET/ACCE			
N0954	N087 780RPM SET POINT (N087)			
N0955	NO86 1400MAXIMUM ENGINE SPEED DURING			
N0956	N090 50REDUCE ENGINE SPD W/ REMOTE			
N0957	N092 50INCREASE ENGINE SPD W/ REMOT			
N0958	N091 200RATE OF DECREASE IN ENGINE S			
N0959	N093 250RATE OF INCREASE IN ENGINE S			
N0960	N106 660MINIMUM ENGINE SPEED DURING			
N0961	N077 1902MAXIMUM ENGINE TORQUE DURING			
N0962	N109 NOENABLE PTO SPEED MAXIUM RATE			
N0963	NO81 75PTO SPEED MAXIMUM RATE OF CH			
N0964	N173 0RESERVE SPEED OFFSET (N173)			
N0982	NO65 5HEST WARNING MINIMUM VEHICLE			
N0984	N179 YESENABLE PARK BRAKE RESET (N17			
N0988	N164 252RESERVE SPEED FUNCTION RESET			
N0990	N182 30COOLANT TEMPERATURE OVERRULE			
N0992	NO73 0CAB ACCEL PEDAL TYPE IN PTO			
N0994	N055 780RPM SET POINT 1 (N055)			
N0996	N056 1030RPM SET POINT 2 (N056)			
1000157	Prospector Version 37.1	U	0	0
	Replaces 37.0	•	Ü	Ŭ
1000204	Engine monitoring protection -Derate-	P	0	0
	Paccar MX engine parameter	-	Ū	J
1000244	PT Optimization analysis: Balance	P	0	0
	power/economy blend results	-	U	U
1000254	Customer's Typical Operating Spd:65 MPH	P	0	0
1000284	MX Retarder State Cruise Control On	P	0	0
-	Latch Mode Engine Parameter 2013+		v	U
1000285	Enable MX Retarder Auto-Retard	P	0	0
*	Engine Parameter 2013+	•	U	U
	J			

 KENWORTH
 CHASSIS FINAL BILL
 PAGE 004

 VMXXR036-1
 FOR VIN 1NKZLK0X9HJ148000
 AS OF 09/22/16

 UNIT TYPE 2
 OF FLEET 147999 THRU 148002

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
~~~~	60 ps 60 mg 45 en 45 en 45 en 66 en 60 en			
1000330	MX Engine parameter: PTO speed control from remote station W/accelerator pedal	₽	0	0
1000613	Enable Reserve Speed Drive Cycle Limit	P	0	0
1000684	Effective VSL Setting NA	P	0	0
1000858	Engine Idle Shutdown Timer Disabled	P	0	0
1000859	Enable EIST Ambient Temp Overrule	P	0	0
1000891	Eff EIST NA Expiration Miles	P	0	0
	Use only with MX and Cummins engines			
1006002	Air Compressor: WABCO 28 CFM PACCAR MX	P	0	0
1051200	Air Cleaner: composite firewall mounted	P	0	0
	PACCAR or Cummins engines			
1105210	Fan Hub:Horton 2-Speed for PACCAR MX	P	259	0
1123555	COOLING MODULE: 1330 SQIN	P	0	0
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL	P	118	2
	SEMI RIGID, NON-REM			
1247150	EXH:RH UND DPF/SCR W/SOC Vert Tailpipe	P	0	0
	w/daycabs, ext daycabs, modular sleeper			
1290136	Tailpipe: 5" Single 36" 45 Deg Curved	P	0	0
	*Not for SCR Independent Exh.			
1328155	PACCAR Fuel filter/water separator: 12V	P	27	2
	preheat, return fuel htd, For MX 2013+			
1812162	Alternator: 160 amp brushless W/	P	239	9
	battery voltage sense.*Replaced 1812160			
1821210	BATT: 3 PACCAR GP31 THR (700) 2100 CCA		0	0
	DUAL PURPOSE BATTERIES			
1836100	PACCAR 12V STARTER	P	0	0
1840065	12V low voltage disconnect for starter	P	0	0
	battery protection			
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	229	11
1901006	Body builder Ctrl harnes coiled BOC/BOS	P	83	0
	F/ C/I remote throttle and PTO ctrls			
1901081	J1939 harness to BOC for body builder	P	129	0
	Requires code 1901006			
1903020	Decline Driver Performance Assistant	P	0	0
	(DPA)			
	MAIN TRANSMISSION AND CLUTCH			
2057384	Eaton FO-14E308LL-VCS UltraShift Plus	Þ	10,972	192
	with Hill Start Aid feature			
N2060	TR000070981 6/17/2016 12:50:32 PM			
2250385	Clutch for UltraShift Plus OR Fuller	Þ	0	0
	Avantage Series Automated transmissions			
2408502	DRIVELINE: 2 MERITOR RPL25 SD; 1 CTRBRG	P	876	77
	REQ 3500064 *Replaces 2408501			
2410019	TRANSMISSION APPROVAL RECEIVED, SEE NAR	. U	0	0
	NARRATIVE N2060 FOR RECEIVAL DATE	_	_	
2410073	CUSTOMER/INSTALLED SPLIT SHAFT PTO	P	0	0
2410241	1ST GEAR START WITH ULTRASHIFT	P	0	0
	REPLACING STANDARD SECOND GEAR START	ъ	_	_
2410705	AutoShift/UltraShift cobrahead control	P	0	0
	integrated into dash.			

CHASSIS FINAL BILL

CHASSIS FINAL BILL FOR VIN 1NKZLKOX9HJ148000 AS OF 09/22/16 UNIT TYPE 2 OF FLEET 147999 THRU 148002

PAGE 005

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2410732	Eaton Shift Cal: MX PERFORMANCE, B/C RATIO (5573266)	υ	0	0
2429351	First PTO Compatibility/Eaton/BTM Mtd Standard Clutch Actuator/Single Acting	P	0	0
2429361	C/I First Eaton Trans PTO	P	0	0
2460048	14" EATON/FULLER HI CAP OIL/WTR CLR OPT F/ TRAN UND 1550 LBFT, INCL OIL PUMP		766	22
2493009	Aluminum clutch housing	P	0	0
	FRONT AXLE AND EQUIPMENT			
2516006	MERITOR MFS20 20K 3.74in. DROP Wide Track	P	2,393	168
2641137	FR BRK: MERITOR Q+ 16.5X6*MAX CAP 20K	P	94-	37-
2690035	FR BRK DRUM: CAST*MAX CAP 22K* 16.5X6	P	113-	104
2702020	HUB:IRON*HUB PILOT*MAX CAP 20K* 16.5X6" OR 7" OR AIR DISCBRKS 11.25" BC*10-BOLT		315	79
2741970	CONMET PRESET PLUS HUB PKG FRONT AXLE	P	0	0
2750001	FR HUBCAP: VENTED	P	0	0
2765001	FR AUTO SLACK ADJUST	P	0	0
2866020	FR SPR:TAPERLEAF 20K W/SHOCK ABSORBERS	P	1,199	240
2895302	PWR STRG:DUAL GEAR*SHEPPARD HD94*16-22K HEAVY DUTY, Not for use on T3	P	1,161	73
2899336	PWR STRG COOLER: RADIATOR MOUNTED 2007 + engines only	P	344	11
2900001	FRONT AXLE APPROVAL RECEIVED*SEE NARR F/RECEIVAL DATE	U	0	0
2900616	THREADED BUSHINGS F/TAPERLEAF SPRGS 16K, 18/20K, 22K, 40K REPLCING RUBBER	Þ	97	0
	REAR AXLE AND EQUIPMENT			
3142171	MERITOR RT46-164PEH*46K*DUAL*SING RED .63"(16MM)WALL HSG	P	3,991	558
3200391	REAR AXLE RATIO-3.91	P	0	0
3354007	RR BRK: MERITOR Q+ 16.5X7 DUAL 46K MAXIMUM	Þ	181	15
3392005	RR BRK DRUM: CAST S-CAM DUAL	P	0	0
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4"BC REQUIRES "R" SERIES OUTER ENDS	P	0	0
3441972	CONMET PRESET PLUS HUB PKG DUAL RR AXLE	P	0	0
3465002	RR AUTO SLACK ADJUST: DUAL	P	0	0
3485207	SPRING BRK: 3030 LONGSTROKE DUAL	P	29	4
3495228	ABS:BENDIX 4S/4M W/AIR TRAC CTRL FR WHL+2GRP RR WHL*AVAIL ONLY W/AIR BRK	P	631	2
3500058	DRIVELINE:1 MERITOR RPL20 INTERAXLE; REPLCNG I/A *USE W/ RPL 25 MAIN D/L	P	0	0
3511420	CROSSLOCK: MERITOR 40-52K FWD RR/RR RR* W/CAB CNTRL*N/A W/-185, 380 OR RT52-160	P	2,435	40
3573111	Separate switch f/dual axles: diff lock or crosslock	P	115	0
3749209	CHALMERS 854-46-H 46K DUAL 54" AS Standard restrictor can.	P	4,751	110

# KENWORTH CHASSIS FINAL BILL PAGE 006 VMXXR036-1 FOR VIN 1NKZLKOX9HJ148000 AS OF 09/22/16

UNIT TYPE 2 OF FLEET 147999 THRU 148002 CODE DESCRIPTION PUB CD PRICE WEIGHT 3832026 SHOCK ABSORBER: CHALMERS*MAX CAP 52K  $\mathbf{P}$ 499 35 TIRES, WHEELS & RIMS 4077455 FR BR M854 385/65R22.5 18PR 1,070 119 ALL POS ON/OFF HWY WIDEBASE PART: BR241439 FET. 56 4277438 RR BRIDGESTONE M726EL 11R24.5 14PR P 976 212 DR PART: BR11R245GM726EL FET: 232 4900008 CODE-REAR TIRE QTY 08. 5042298 FR WHL: Accuride 29683 22.5X12.25 AL U 797 11hub pil disc brk comp Standard polish 5242291 RR WHL: Accuride 41362 24.5x8.25 AL P 1,312 116hubpil disc brk comp Standard polish 5900008 CODE-REAR RIM QTY 08. FRAME AND EQUIPMENT 6056400 FRAME RAILS:10-3/4 X 3/8" STL 285-336" 397 SECTION MOD:17.80, RBM:2,132,000 LBS, 6141400 FULL STL INSERT F/ 10-5/8" OR 10-3/4" P 1,600 n STL 285-336" OR 2ND INSERT F/ 11-5/8" BUMPER: TAPERED POLISHED ALUM 6302361 ₽ 191 7-REQS BUMPER SETTING CODE 6319485 48.5 INCH BUMPER SETTING*REQS BUMPER P 0 0 CODE 6321005 REMOVABLE FRONT TOW HOOKS: 2 Þ 266 15 6390001 STEEL SHACKLE LINKS Р 16 9 6390103 FR MDFLPS P 0 0 HUCK BOLTS THROUGHOUT FRAME WHERE POSS-6397001 P 275 0 IBLE; MAY NOT INCLUDE SUSP CM 6405080 T8 BATT BOX MODULE: PAR ALUM UND, EXTEND 78 73 LENGTH, ALUM DP INTEGRAL STEP COVER 6409901 BATTERY BOX LOCATION: LEFT HAND SIDE Ρ 0 0 6451090 T470,C5,T6,T8 NON-POL DPF/SCR OR CNG Р 105 31 DP COVER W/STEP. CAB ACCESS RH UNDER 6490440 HEAVY DUTY BOC CROSSMEMBER ASSEMBLY ₽ 163 22 6679824 Width across front tires exceeds 102". P 0 0 Dealer to review delivery constraints

FUEL TANKS AND EQUIPMENT

ANTISAIL

with transporter.

DLR ACKNOWLEDGES TRUCK WIDTH IS >102"

***CUSTOMER WILL INSTL STRUCTURAL EOF

CM BEFORE VEHICLE IS PLACED IN SERVICE*

RR MDFLP SHIELDS: WHITE PLASTIC KW LOGO

SQUARE END OF FRAME: W/O CROSS MEMBER

RAKE BASED ON PRE-BILL REVIEW**
RAKE BASED ON PRE-BILL REVIEW**

RR MDFLP ARMS:BETTS B25 STD DUTY

STRAIGHT (KIT INCL B1732 MTG BRKTS)

***DLR/CUST ACCEPTS FINAL CHASSIS FRAME

11

U

P

Ρ

P

P

0

0

O

0

0

0

O

0

0

0

0

6679954

6679962

6679995

6721102

6722000

6742009

# CHASSIS FINAL BILL

CHASSIS FINAL BILL
FOR VIN 1NKZLKOX9HJ148000
UNIT TYPE 2 OF FLEET 147999 THRU 148002 AS OF 09/22/16

PAGE 007

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7214100	FUEL TANK: 100 US GAL 24.5" AL BOC RPL	P	78-	0
7216100	FUEL TANK: 100 US GAL 24.5" AL BOC ADD	P	1,867	115
7722019	DEF TANK: MEDIUM ROUND	P	209	33
	20.7 GAL USEABLE **2013 OR LATER			
7880010	MECHANICAL ANTI-ROLL CHANNEL: 2 TANKS		80	13
7889203	STANDARD DEF TO FUEL FILL RATIO: 2:1 OR		0	0
	GREATER	_	Ū	ŭ
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK	P	0	0
	ANY NUMBER OF TANKS	-	ŭ	v
7889604	DEF TANK LOCATION: LH	P	0	0
7930100	LOCATION RH BEHIND CAB 100 GAL.	~	V	v
7940100	LOCATION LH BEHIND CAB 100 GAL.			
,310100	DOMESTICAL DEL DENTINO CITO TOO GIAB.			
	CAB AND EQUIPMENT			
8025301	CAB: Stamped Alum, Panoramic Curved	P	0	0
	Windshld, w/ LED Marker Lights, Signals		ŭ	ŭ
8090605	Hood: T880 Short Length MX-Optimized	P	0	0
	W/Mechanic. Fastened Fenders.116.7" BBC		ŭ	Ÿ
8108011	Htr/Air Con w/defrst & auto temp ctrl	P	0	0
	*48K BTU/hr heater *Daycab/40in SLPR		· ·	v
8201013	STEERING WHEEL: 18" 4-SPK	P	0	0
8201200	STRG COLUMN: ADJ TELESCOPNG TILT*CODE	P	0	0
	F/18" STRG WHEEL*	•	Ü	v
8203060	5 SETS OF KEYS. REPLACES STANDARD	P	27	0
	(2 SETS OF KEYS).	-	2,	ŭ
8205012	DASH SW/LT: OFF-HIGHWAY SW FOR ABS SYS	P	53	0
8205054	PTO AIR CTRL: FLR MTD L OF DR SEAT FOR	P	459	2
	C/I PTO*MUST CODE F/ PTO INFO CODE*			
8205069	DASH CONTROLS: TAILGATE OR DUMP GATE	P	190	0
	INCLUDES PIPING AND TELLTALE			
8205092	INFO FOR C/I PTO: CHELSEA 100/221/	P	46	0
	260/381/410/420/440/442 6-BOLT			
8205153	One (1) spare Acc. electric-over-air SW	P	103	0
	W/ non-latching air solenoid			
8205158	Park brake interlock F/ 1st spare Acc.	P	134	0
	elec-over-air SW *Reqs, code 8205153			
8208496	SW: 3 SPARES WIRED TO POWER	P	126	0
8220106	GAU: AIR FILTER RESTRICTION DASH-MT	P	137	0
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	37	0
8222722	GAU: MANIFOLD PRESS	Ð	29	0
8222794	GAU: HOUR METER F/PTO DASH MT	P	69	0
8225658	GAU: AXLE OIL TEMP DUAL DR AXLE(2 GAU)	P	178	0
	W/INTEGRAL WARN LT			
8226667	GAU: OIL TEMP MAIN TRANSMISSION	P	38	0
8282007	Kenworth Driver Performance Center: 5in	P	0	0
	Full Color Active Matrix Info Display			
8282013	Kenworth Instrumentation & Control Pkg	P	0	0
	*w/ 9 Std. Easy Read Gauges			
8300008	Interior color: Slate Gray	P	0	0
8330102	INTERIOR PACKAGE: VANTAGE DAYCAB	P	0	0
8390634	Floormat: Rubber material	P	0	0

# CHASSIS FINAL BILL

PAGE 008 CHASSIS FINAL BILL
FOR VIN 1NKZLKOX9HJ148000
UNIT TYPE 2 OF FLEET 147999 THRU 148002 AS OF 09/22/16

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8410194	DR Seat: KW GT701 HB w/ DuraSupreme Material, Air-Ride Susp.	P	0	0
8480100	RD Seat: KW GT100 HB Toolbox Seat w/ DuraSupreme Material	P	0	0
8490187	Seat color:Slate Gray w/gray stitching	P	0	0
8496559	DR/RD ORANGE SEAT BELTS REPL STD	P	29	Ö
8601421	Kenworth Radio with AM/FM/WB/USB and Bluetooth	P	452	4
8698974	SPKRS: Base Audio System - Daycab: High Performance Door Speakers	n P	81	2
8699926	CB installation kit center mounted of header w/quick mt release dual antenna	P	300	2
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0
8700406	Stainless steel permit panel on cab *driver side only*	P	106	0
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0
8800402	Grabhandles: Dual cab-interior, A-pillar mtd dash wrap & B-pillar mtd handles	P	0	0
8832113	Daylite Door: KW w/ Std LH/RH elec door locks and LH/RH elec window controls	P	0	0
8841618	AIR HORN: DUAL RECT 23" LH/RH ROOF INCL AIR HORN COVERS	P	225	4
8850139	Look-down, pass. door, Black 11x6	P	0	0
8865002	MIRR: DUAL KW AERO MOTOR HTD 7"X13" SHELL CAB CLR-ARMS BLK W/ 6"X7" CX MIRR	P	0	0
8871446	RR CAB Window: fixed 19"X36" NOT AVAILABLE W/SLEEPER	P	0	0
8890101	Windshield: 1-pc bonded-in w/ curved glass	Þ	0	0
8890135	SUNVISOR: EXTERIOR STAINLESS STEEL	P	877	20
8890300	FENDER CLOSE-OUT BELOW HEADLAMP BEHIND BUMPER *NOT W/ 3-PC BUMPER	P	201	0
8890348	Wheelwell FNDR Extension: 4.5"	P	287	0
8890876	Kenworth cab/sleeper air suspension	P	0	0
8891013	Extreme Temp Insulation: Daycab Increase over standard insulation pkg	P	167	0
	LIGHTS AND SIGNALS			
9010553	Headlamps: SAE Dual Halogen Complex Reflector	P	0	0
9022137	MARKER: 5 RECTANGULAR LED	P	0	0
9030016	Turn Signal Lights: Flush MTD LED MTD at top of fender wheel arc.	P	0	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9060011	SPOTLIGHT: LH-MTD HALOGEN	P	172	4
9090027	HEADLAMPS TO TURN ON WHEN WIPERS ARE ACTIVE	P	0	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS B-CAB:INCL IN TURN SIGNAL;T3 IN DASH	P	0	0

# CHASSIS FINAL BILL

PAGE 009 CHASSIS FINAL BILL
FOR VIN 1NKZLKOX9HJ148000
UNIT TYPE 2 OF FLEET 147999 THRU 148002 AS OF 09/22/16

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
	*******			
9090142	WIRING ONLY: C/I BACKUP ALARM	P	52	0
9090849	Polyswitches repl fuses Switch will	P	34	0
	auto reset after removal of excess load	l		
	AIR EQUIPMENT			
9101210	AIR DRYER: BENDIX AD-IS HEATED	P	0	0
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140251	AIR TANKS CLEAR OF LEFT SIDE TRANS AREA (CLEAR AREA - FWD OF TRANS YOKE C/L)	Р	1,507	4
	ORDER REVIEWED BY APPLICATIONS TECH:			
9290203	Michael Ward 740-774-5344	U	0	0
	GLIDER KITS AND ASSEMBLIES			
9400071	SPECIFY SHIP DESTINATION BY NARRATIVE	P	0	0
	SPECIAL EQUIPMENT			
9409852	GHG Secondary Manufacturer:	P	0	0
	Does Not Apply			
9412345	MISC. INFO	P	0	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK	P	0	0
	ADDITIONAL LEADTIME REQUIRED		-	-
9490206	WARNING TRIANGLE REFLECTOR KIT: 3	P	46	4
	TRIANGLES IN PLASTIC CASE	_		_
9490417	FIRE EXT: ONE 5# DRY CHEMICAL TYPE	P	136	11
2 2 2 3 2 2 2 7	MTD INBOARD OF DR. SEAT. Class ABC.	-	130	
N9401	SHIP TO:OX BODIES			
N9402	719 COLUMBUS ST. EAST			
N9403	FAYETTE, AL 35555			
N9495	TC530 PROGRAM - CODE #9509863			
000000	PAINT COLOR NUMBER	_	•	
9700000	PAINT COLOR NUMBER	P	0	0
N9702	A - LOOOGEY WHITE			
N9720	FRAME NOOO1EA BLACK			
	PAINT			
9943004	BUMPER UNPAINTED	P	0	0
9943050	Day Cab Standard Paint	P	0	0
9944820	1 Color Paint Day Cab	P	0	0
	White If No Color Specified			
9959912	SCHEDULING CODE MX-11 ENGINE	U	0	0
9960006	***PAINT SKETCH VERIFIED***	U	0	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT	P	0	0
	EXTERIOR & PAINT COLOR L SERIES CODES*			
N9994	EMAIL: JHARRELL@TRANSPOWER.CC			
И9995	CELL PHONE: 2293570528			
N9996	SALESPERSON ID: MARIECONNE01			
N9997	DEALER CONTACT			
N9998	NAME: ID: JAYHARRELL01 PH:2298836550			
N9999	JMW 06/17/16 OC008			

#### CHASSIS FINAL BILL FOR VIN 1NKZLKOX9HJ148000

PAGE 010 AS OF 09/22/16

UNIT TYPE 2 OF FLEET 147999 THRU 148002 CODE DESCRIPTION PUB CD PRICE WEIGHT ** TOTAL ESTIMATED WEIGHT 17,141 TOTAL LIST PRICE 215,594 BELOW CHARGES NOT INCLUDED IN TOTAL LIST PRICE 9509863 - TC530 CL8 2016 SALES PROGRAM TRACKING 0 9509975 - AUGUST 2016 T680/T880 AMT SALES PROMO 0 9509983 - SEPT 2016 CL8 INVENTORY INCENTIVE PROMO 0 ADJUSTED LIST PRICE 215,594 PROMOTION PROGRAM CODE 0000583 @ 0.00 % TC530MX 2016 CLASS 8 STOCK BONUS SALES PROGRAM MX US

PRODUCTION CHARGE 154-

SURCHARGE/OPTIONS NO DISC

9210181 - 2016 Class 8 Bonus Program 2,000\$2,000 Net Credit

TOTAL SURCHARGE/OPTIONS NOT SUBJECT TO DISC 2,000-

TOTAL TIRE FET INCLUDED -- AS PRODUCED 288

MARKETING AND SERVICE SUPPORT FEE 555

^{**} WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTIONS. ACTUAL "SHIPPING" WEIGHT MAY VARY.

#### **BUYERS ORDER**



2702 Palmyra Rd. / Albany, GA 31707 PO Box 3890 / Albany, GA 31706

DATE	06/29/18
CUSTOMER NO.	
PURCHASER	COOK COUNTY BOARD OF COMMISSIONERS
COUNTY	COOK
ADDRESS	1200 SOUTH HUTCHINSON AVE.
CITY/STATE/ZIP	ADEL, GA 31620
TELEPHONE	
NEW OR LIGER	

121 Bowens Mill Rd., S.E. / Douglas, GA 31533 CITY/STATE/ZIP ADEL, GA 31620					
			TELEPHO	DNE	
			NEW OR US	SED	
OTO OLC NO	D/EAD	1,441/5	MODEL	locality No	I ALLOU DIT OF OAL F
STOCK NO.	YEAR	MAKE	MODEL	SERIAL NO.	AMOUNT OF SALE
TBD	2020	MACK	GRANITE	TBD	147,778.00
				TOTAL	\$147,778.00
SPECIAL CONDITIONS:				IRP / STATE TAX	
of Edial Gondinono.				FEDERAL TAX	
				EXTENDED WARRANTY	
				DOC FEE	
				TOTAL	\$154,028.00
Total Trucks:				LESS TRADE IN	
TERMS:				ADD PAY OFF	\$0.00
				DOWN PAYMENT	\$0.00
TAX RATE				BALANCE DUE	\$154,028.00
TRADE-IN DES	CRIPTION	YEAR	MAKE	MODEL	SERIAL NUMBER
PAY OFF DUE	TO	PHONE	AMOUNT	QUOTE BY	GOOD TILL
na			\$0.00		
		•		•	•
	direct and au	thorize you to bill and	deliver to me the above d	escribed motor vehicle as equipped an	d serviced including all equipment, options, and se
detail hereon.		CREED THAT NO W	ADDANITIES OF ANY KIN	ID OD CHADACTED EVEDESS OF I	MPLIED ARE MADE BY TRANSPOWER INC. IT

ervice itemized in

S AGENTS OR EMPLOYEES, ON THE VEHICLE OR CHASSIS DESCRIBED HEREIN, THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. IN THE CASE OF A NEW VEHICLE OR CHASSIS, THE PRINTED MANUFACTURER'S NEW VEHICLE WARRANTY DELIVERED TO PURCHASER WITH SUCH VEHICLE OR CHASSIS SHALL APPLY AND THE SAME IS HEREBY DELIVERED TO PURCHASER WITH SUCH VEHICLE OR CHASSIS SHALL APPLY AND THE SAME IS HEREBY MADE A PART HEREOF AS FULLY AS THOUGH SET OUT HEREIN. THE NEW VEHICLE WARRANTY IS THE ONLY WARRANTY APPLICABLE TO SUCH VEHICLE OR CHASSIS, AND IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING AND IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE."

"ALL USED TRUCKS ARE SOLD AS IS WITH NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND OR DESCRIPTION, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, UNLESS STATED IN WRITING ON THE FACE HEREOF. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF. IN THE CASE OF A USED VEHICLE WITH AN UNEXPIRED PORTION OF A MANUFACTURER'S WARRANTY THEREON, SAID WARRANTY SHALL BE DETERMINED SOLELY BY THE TERMS OF SAID EXPRESS WARRANTY." SIGNED

I understand and agree that this instrument comprises the entire agreement pertaining to this purchase and no other agreement, verbal or otherwise, is understood by me or shall be recognized. In the event this order is cancelled, TransPower, Inc. resumes the right to retain all deposits sufficient to cover liquidation damages. This order is not valid unless signed and accepted by an official of TransPower, Inc., and approved by a reasonable bank or finance company as to deferred balance. I certify that I am eighteen, and I have read this entire agreement and by affixing my signature hereto fully understand and agree to the terms and conditions set forth herein. IN THE EVENT OF AN INCREASE IN PRICE BY MANUFACTURER BEFORE DELIVERY I AGREE TO PAY THE DIFFERENCE IN PRICE.

PURCHASER'S SIGNATURE		DATE	
SALESMAN	HARRELL	DATE	6/29/2018
ACCEPTED TRANSPOWER, INC. BY		DATE	